


KAGER



A.B.S PARTS & ACCESSORIES

CATALOGUE

Distributors of :





A Full Range of Caliper Kits for Trucks



A Full Range of Airbags for Trucks



Diagnostic Equipment for Trucks



A Full Range of Master Cylinders for Trucks



A Full Range of Viscous Hubs & Fans for Trucks



General Index To Catalogue

ABS Accessories:

• Sensor Bushes	Page	.06
• Sensor Grease	Page	.06
• Sensor Mounting Brackets	Page	.06

ABS Layouts:

• 2S / 2M - Tandem Trailer	Page	.07
• 2S / 2M - Tridem Trailer	Page	.07
• 4S / 2M - Tandem Trailer	Page	.08
• 4S / 2M - Tridem Trailer	Page	.08
• 4S / 3M - TowBar Trailer	Page	.08

E.C.U. Assemblies:

• Electronic Control Units	Page	.09
----------------------------	------	-----

Modulator Cables:

• Conversion Plugs	Page	.02
• Dual Modulator Cables	Page	.02
• Sensor Extension Cables	Page	.02
• Single Modulator Cables	Page	.02

Modulator Valves:

• Modulator Relay Valves	Page	.04
• Modulator Valves	Page	.04
• Twin Modulator Relay Valve	Page	.04

Pole Wheels:

• A.B.S - Pole Wheel	Page	.09
----------------------	------	-----

Power Cables:

• Cable End Sockets	Page	.03
• Parking Sockets	Page	.03
• Power Cables	Page	.03
• Suzie Coil	Page	.03

Sensor Cables:

• ABS - Sensor Cables	Page	.05
-----------------------	------	-----



ABS – Dual Modulator Cables

Cross Reference:	Description:	Part N°:
449 444 022 0	Dual Modulator Cable - 400 MM	44 444 022 0
449 444 106 0	Dual Modulator Cable - 2.0 MTRS	44 444 106 0
449 444 190 0	Dual Modulator Cable - 4.0 MTRS	44 444 190 0



ABS – Dual Modulator Cable

Cross Reference:	Description:	Part N°:
N/A	Dual Modulator Cable	44 444 095 0
	950 MM PMT TYPE	
PRODUCED IN SOUTH AFRICA For 47 100 000 0		



ABS – Single Modulator Cables

Cross Reference:	Description:	Part N°:
449 411 005 0	Single Modulator Cable - 400 MM	44 411 005 0



ABS – Sensor Extension Cables

Cross Reference:	Description:	Part N°:
449 712 023 0	2300 MM - Sensor Extension Cable	44 712 023 0
449 712 030 0	3000 MM - Sensor Extension Cable	44 712 030 0
449 712 038 0	3800 MM - Sensor Extension Cable	44 712 038 0
449 712 051 0	5000 MM - Sensor Extension Cable	44 712 051 0




Conversion Plug

Cross Reference:	Description:	Part N°:
894 601 132 2	Conversion Plug	44 601 132 2

ABS – Power Cables

Cross Reference:	Voltage:	Part N°:
N/A	Power Cable - 11.0 MTRS	44 112 001 1
	PMT TYPE	
PRODUCED IN SOUTH AFRICA For 47 100 000 0		



ABS – Power Cables

Cross Reference:	Voltage:	Part N°:
449 112	Power Cable: 12.0 MTRS - 24 Volts	44 112 002 4
449 112	Power Cable: 12.0 MTRS - 12 Volts	44 112 001 2
ABS ISO 7638:- POWER CABLE, ISO PLUG, ECU PLUG, and PILOT		



ABS – Cable End Sockets

Cross Reference:	Voltage:	Part N°:
446 008 380 2	24 Volts	44 008 380 2
446 008 385 2	12 Volts	44 008 385 2
ABS ISO 7638:- CABLE END SOCKET		



ABS – Parking Sockets


Cross Reference:	Voltage:	Part N°:
446 008 600 2	24 Volts	44 008 600 2
446 008 605 2	12 Volts	44 008 605 2
ABS ISO 7638:- PARKING SOCKET		



ABS – Suzie Coils


Cross Reference:	Voltage:	Part N°:
446 008 230 0	4.5 MTRS SUZI COIL - Core 24 Volts	44 008 230 0
446 008 232 0	4.5 MTRS SUZI COIL - Core 12 Volts	44 008 232 0






ABS - Modulator Relay Valves

Cross Reference:	Work Press:	Ports:	Voltage:	Part N°:
472 195 020 0	10 BAR	1 & 2 = M22X1.5	24 Volts	47 195 020 0
472 195 024 0	10 BAR	4 = M16X1.5	12 Volts	47 195 024 0



ABS - Modulator Relay Valves

Cross Reference:	Work Press:	Ports:	Voltage:	Part N°:
N/A	10 BAR	1 = M22X1.5	24 Volts	47 220 030 0
N/A	10 BAR		12 Volts	47 220 031 0
Application: HALDEX 950 364 047				



ABS - Twin Modulator Relay Valves

Cross Reference:	Work Press:	Ports:	Voltage:	Part N°:
472 195 041 0 /044 0	10 BAR	1,2 & 6 =M22X1.5	24 Volts	65 20 041 0
472 195 042 0 /040 0	10 BAR	4 =M16X1.5	12 Volts	65 20 044 0
Also KNORR: BR9231				



ABS - Modulator Valves

Cross Reference:	Work Press:	Ports:	Voltage:	Part N°:
472 195 018 0	10 BAR	M22X1.5	24 Volts	47 195 018 0
472 195 003 0	10 BAR	M22X1.5	12 Volts	47 195 003 0
Application:				



ABS - Modulator Valves

Cross Reference:	Work Press:	Ports:	Voltage:	Part N°:
BOSCH-0 265 351 118	10 BAR	M22X1.5	24 Volts	47 210 010 0

ABS – Sensor

Cross Reference:	Description:	Part N°:
441 032 808 0	Right Angle: 400 MM	44 032 808 0
441 032 809 0	Right Angle: 1 000 MM	44 032 809 0
441 032 875 0	Right Angle: 1 750 MM	44 032 875 0
441 032 861 0	Right Angle: 2 500 MM	44 032 861 0
4.4 MM DIAMETER CABLE		




ABS – Sensor

Cross Reference:	Description:	Part N°:
N/A	Right Angle: 1 750 MM	44 302 875 0
N/A	Right Angle: 1 000 MM	44 302 809 0
6.2 MM DIAMETER CABLE		



ABS – Sensor

Cross Reference:	Description:	Part N°:
N/A	Straight Head: 400 MM	44 330 808 0
N/A	Straight Head: 1 000 MM	44 330 809 0
N/A	Straight Head: 1 750 MM	44 330 875 0
4.4 MM DIAMETER CABLE		



ABS – Sensor

Cross Reference:	Description:	Part N°:
BS3476	Straight Head: 1 630 MM	44 331 810 0



ABS – Sensor

Cross Reference:	Description:	Part N°:
441 032 921 2	Right Angle Kit: 400 MM	44 032 921 2
441 032 922 2	Right Angle Kit: 1 000 MM	44 032 922 2





ABS - Sensor Bushes

Cross Reference:	Description:	Part N°:
899 759 815 4	18.5 MM DIA SENSOR BUSH - <i>COPPER</i>	47 759 815 4
899 760 510 4	18.5 MM DIA SENSOR BUSH - <i>STEEL</i>	47 760 510 4




ABS - Sensor Grease

Cross Reference:	Description:	Part N°:
830 502 068 4	Sensor Grease - 5 Grams	47 502 068 4




ABS - Sensor Mounting Bracket

Cross Reference:	Description:	Part N°:
N/A	Sensor Mounting Bracket- 44MM <i>HOLE CENTRES</i>	47 931 101 1




ABS - Sensor Mounting Bracket

Cross Reference:	Description:	Part N°:
N/A	Sensor Mounting Bracket- 38MM <i>HOLE CENTRES</i>	47 933 301 1



ABS - Dual Modulator Cables


Cross Reference:	Description:	Part N°:
N/A	Sensor Mounting Bracket	47 933 000 1




ABS - Dual Modulator Cables

Cross Reference:	Description:	Part N°:
B.P.W. TYPE	Sensor Mounting Brckt LH 32MM <i>HOLE CENTRES</i>	47 931 108 1
B.P.W. TYPE	Sensor Mounting Brckt RH 32MM <i>HOLE CENTRES</i>	47 931 109 1


2s / 2M - Tandem Trailer




2s / 2M - Tridem Trailer




4s / 2M - Tandem Trailer



4s / 2M - Tridem Trailer



4s / 3M - TowBar Trailer



Electronic Control Unit

Configuration :	Voltage:	Pole Wheel:	Part N°:
4S/4M	12 Volts	100 Teeth	47 004 302 0
4S/4M	24 Volts	100 Teeth	47 004 441 0



Electronic Control Units



Configuration :	Voltage:	Pole Wheel:	Part N°:
4S/2M	12 Volts	100 Teeth	47 120 003 0
4S/3M	24 Volts	100 Teeth	47 120 005 0
2S/2M	24 Volts	100 Teeth	47 120 002 0



ABS - Pole Wheels



Anti-lock Brake System - Pole Wheels

Cross Reference :	Type :	D	d	h	Teeth:	Part N°:
	3	138	108	10	80	
YM6900F3103008	3	177	144	12	80	44 702 144 1



Anti-lock Brake System - Pole Wheels

Cross Reference :	Type :	D	d	h	Teeth:	Part N°:
H41-0401\13T	1	226	165	13	100	44 701 1651
H41-0401\13T-1	1	226	165	13	100	



YOU GET WHAT YOU PAY FOR.....

The Best Quality with the right price.

