

KAGER



AMERICAN & JAPANESE CATALOGUE






A Full Range of Caliper Kits for Trucks



A Full Range of Airbags for Trucks



A Full Range of Disc Pads for Trucks



A Full Range of Master Cylinders for Trucks



A Full Range of Viscous Hubs & Fans for Trucks



A Full Range of Compressors Repair Kits for Trucks



KAGER


Products

AMERICAN CATALOGUE


General Index

AIRBAGS	Page	14
AIR DRYERS	Page	15
BRAKE FOOT VALVES	Page	7
CHECK VALVES	Page	12
COMPRESSORS	Page	14
DRAIN VALVES	Page	11
GEARBOX VALVES	Page	15
GOVERNORS	Page	3
HAND & DASH CONTROL VALVES	Page	8 - 9
LEVELLING & PILOT VALVES	Page	11
PALM COUPLINGS	Page	9
POWER STEERING PUMPS	Page	14
PRESSURE PROTECTION VALVES	Page	10
P.T.O. VALVES	Page	10
QUICK RELEASE VALVES	Page	13
RATIO CONTROL VALVES	Page	3
RELAY VALVES	Page	4 - 6
SAFETY VALVES	Page	6
SLACK ADJUSTERS	Page	12
SOLENOID VALVES	Page	6
SWITCHES	Page	13
TRAILER PROTECTION VALVES	Page	7
TRUCK SYSTEM SCHEMATIC	Page	2

TYPICAL TRUCK SYSTEM SCHEMATIC



RATIO CONTROL VALVES




View	Unit N°	Description	Makers	Makers' Unit N°
1	53.06.543.7	SR-5 TRAILER SPRING BRAKE VALVE - PORTS: SUP= 1/4"NPT, DEL= 3/8"NPT SER=1/4"NPT , RES= 3/4"NPT	BENDIX	065437
2	53.10.111.2	SR-4 TRAILER SPRING BRAKE VALVE - PORTS: SUP, RES, SER= 1/4"NPT DEL=3/8"NPT, RES,CON= 3/4"NPT	BENDIX	101112
3	53.10.162.2	SR-4 TRAILER SPRING BRAKE VALVE - PORTS: SUP, RES, SER= 1/4"NPT DEL=3/8"NPT, RES,CON= 1/2"NPT	BENDIX	101622
4	53.10.276.1	SR-2 TRAILER SPRING BRAKE VALVE - PORTS: SUP= 1/4"NPT , TRAIL, SER=1/4"NPT, DEL=3/8"NPT, SER= 1/4"NPT, RES= 3/4"NPT	BENDIX	102761
5	53.10.306.1	SR-2 TRAILER SPRING BRAKE VALVE - PORTS: SUP= 1/4"NPT , TRAIL, SER=1/4"NPT, DEL=3/8"NPT, SER= 1/4"NPT, RES= 1/2"NPT	BENDIX	103061
6	53.11.017.0	SEALCO RATIO RELAY VALVE - PORTS: SUP= 3/8"NPT, DEL= 3/8" NPT RES=1/2"NPT, CON=3/8" NPT, COVER AS SHOWN	SEALCO	110170
7	53.11.017.1	SEALCO RATIO RELAY VALVE - PORTS: SUP= 3/8"NPT , DEL= 3/8"NPT RES= 1/2"NPT, RES= 3/8"NPT , CON= 3/8"NPT, COVER ROTATED BY 90°	SEALCO	110171
8	53.11.019.1	SEALCO RATIO RELAY VALVE - PORTS: SUP= 3/8"NPT , DEL= 3/8"NPT RES= 3/8"NPT, RES= 1/2"NPT , CON= 3/8"NPT, COVER ROTATED BY 90°	SEALCO	110191
9	53.11.031.0	SEALCO RATIO RELAY VALVE - PORTS: SUP= 3/8"NPT , DEL= 3/8"NPT RES= 3/8"NPT, RES= 1/2"NPT , CON= 3/8"NPT, COVER AS SHOWN	SEALCO	110310
10	53.11.031.5	SEALCO RATIO RELAY VALVE - PORTS: SUP= 3/8"NPT , DEL= 3/8"NPT RES= 1/2"NPT, RES= 3/8"NPT , CON= 3/8"NPT, COVER AS SHOWN	SEALCO	110315
11	53.26.000.0	RT-4 SEALCO RATIO RELAY VALVE - PORTS: SUP= 3/8" NPT DEL= 3/8" NPT, RES= 1/2"NPT, RES= 3/8" NPT, CON= 3/8" NPT	MIDLAND	KN26000
12	53.28.636.4	SR-1 SPRING BRAKE CONTROL VALVE - SUP:1/4"NPT, DEL:1/4"NPT, CONTROL:1/4"NPT, RES NO.1:1/4"NPT, RESERVOIR PRESSURE:55PSI	BENDIX	286364

GOVERNORS




View	Unit N°	Description	Makers	Makers' Unit N°
1	57.27.435.8B	D-3 GOVERNOR - ALL PORTS: 1/8" NPT - CUT-OUT PRESSURE: 105-125 PSI	BENDIX	284358
2	57.27.550.8	D-2 GOVERNOR - ALL PORTS: 1/8" NPT - CUT-OUT PRESSURE: 7.8 BAR	BENDIX	277508
3	57.27.550.9B	D-2 GOVERNOR - ALL PORTS: 1/8" NPT - CUT-OUT PRESSURE: 100-120 PSI	BENDIX	275491

RELAY VALVES



View	Unit N°	Description	Makers	Makers' Unit N°
1	46.06.5104	R-12 RELAY VALVE PORTS: SUP= 1/2"NPT, DEL=3/8"NPT, CON=1/4" NPT CRACK PRESSURE: 27.6 PSI	BENDIX	065104
2	46.06.5145	BP-R1 RELAY VALVE - PORTS: SUP=1/2"NPT, DEL=3/8"NPT, DEL=1/2"NPT CON=1/8"NPT, SER=1/4"NPT, CRACK PRESSURE:4 PSI	BENDIX	065145
3	46.06.5146	BP-R1 RELAY VALVE - PORTS: SUP=1/2"NPT, DEL=3/8"NPT, DEL=1/2"NPT CON=1/8"NPT, SER=1/4"NPT, CRACK PRESSURE:5.5 PSI	BENDIX	065146
4	46.06.5181	R-12 RELAY VALVE PORTS: SUP=1/2" NPT , DEL= 1/2"NPT, CON= 1/4"NPT, CRACK PRESSURE: 5.5 PSI	BENDIX	065181
5	46.06.5303	R-12 RELAY VALVE SUPPLY:1/2" PT, DELIVERY:3/8" PT, SERVICE:1/4" PT, CRACK PRESSURE:4 PSI	BENDIX	065303
6	46.10.000.0	RELAY EMERGENCY VALVE - SUPPLY:1/2"NPT, DELIVERY:1/4"PT CONTROL:1/4"PT, EMERG SUPPLY:1/4"NPT, CRACK , PRESSURE:1.5 PSI	SEALCO	A1000
7	46.10.2626	R-12 RELAY VALVE PORTS: SUP=1/2"NPT, DEL=1/2"NPT , CON=1/4"NPT , CRACK PRESSURE: 4.0 PSI	BENDIX	102626
8	46.10.3009	R-12 RELAY VALVE PORTS: SUP=3/4"NPT, DEL=1/2"NPT CON=1/4" NPT, CRACK PRESSURE: 4.0 PSI	BENDIX	103009
9	46.10.3010	R-14 RELAY VALVE - PORTS: SUP=3/4"NPT, DEL=1/2"NPT, CON=1/4"NPT BALANCE =1/8"NPT, CRACK PRESSURE: 4.0 PSI	BENDIX	103010
10	46.10.3028	R-14 RELAY VALVE - PORTS: SUP=1/2"NPT, DEL=1/2"NPT, CON=1/4"NPT BALANCE =1/8"NPT, CRACK PRESSURE: 4.0 PSI	BENDIX	103028
11	46.10.3294	R-14 RELAY VALVE - PORTS: SUP=3/4"NPT, DEL=1/2"NPT, CON=1/4"NPT BALANCE =1/8"NPT, CRACK PRESSURE: 5.5 PSI	BENDIX	103294
12	46.10.3833	R-14 RELAY VALVE - PORTS: SUP=1/2"NPT, DEL=1/2"NPT, CON=1/4"NPT BALANCE =1/8"NPT, CRACK PRESSURE: 7.5 PSI	BENDIX	103833
13	46.10.3835	R-14 RELAY VALVE - PORTS: SUP=3/4"NPT, DEL=1/2"NPT, CON=1/4"NPT BALANCE =1/8"NPT, CRACK PRESSURE: 7.5 PSI	BENDIX	103835
14	46.10.3912	R-12 RELAY VALVE PORTS: SUP= 1/2"PT , DEL= 1/2"PT, CON= 1/4"PT, CRACK PRESSURE: 7.5 PSI	BENDIX	103912
15	46.10.4165	R-12 RELAY VALVE PORTS: SUP=3/4"NPT, DEL=1/2"NPT , CON=1/4"NPT, CRACK PRESSURE: 7.5 PSI	BENDIX	104165
16	46.10.4574	R-14 RELAY VALVE - PORTS: SUP=1/2"NPT, DEL=1/2" NPT, CON=1/4"NPT BALANCE =1/8"NPT, CRACK PRESSURE: 4.0 PSI	BENDIX	104574



17



18



19




20




21



22




23



24




25



26




27



28



29



30



31



32

View	Unit N°	Description	Makers	Makers' Unit N°
17	46.10.6313	R-14 RELAY VALVE - PORTS: SUP=1/2"NPT, DEL=1/2"NPT, CON=1/4" NPT BALANCE =1/8"NPT, CRACK PRESSURE: 5.5 PSI	BENDIX	106313
18	46.11.0139	SEALCO RATIO RELAY VALVE SUPPLY: 1X3/8"NPT, RESERVOIR: 1X3/4"NPT, DELIVERY: 4X3/8"NPT	SEALCO	110139
19	46.11.0197	SEALCO TRAILER RELAY VALVE - SUPPLY: 1-1/2"NPT, DELIVERY: 2-3/8"NPT, CONTROL: 2-3/8"NPT, CRACK PRESSURE: 4 PSI	SEALCO	110197
20	46.11.020.0	RELAY EMERGENCY VALVE - SUPPLY: 3/4"NPT, DELIVERY: 4X3/8"NPT EMERG: 2X1/4"NPT, SERVICE: 1/4"NPT, CRACK PRESSURE: 4.5 PSI	SEALCO	110200
21	46.11.020.5	RELAY EMERGENCY VALVE - SUPPLY: 3/8" NPT, DELIVERY: 4X3/8"NPT EMERG: 2X3/8" NPT, SERVICE: 3/8"NPT, CRACK PRESSURE: 4.5 PSI	SEALCO	110205
22	46.11.0415	SEALCO RELAY VALVE - SUPPLY: 3/4NPT, DELIVERY:3/8NPT CONTROL: 3/8NPT, CRACK PRESSURE:4.0PSI	SEALCO	110415
23	46.12.352.0	RELAY EMERGENCY VALVE - CRACK PRESSURE: 4.5 PSI,	MIDLAND	12352
24	46.27.9180	R6 RELAY VALVE - SERVICE PORT: 1/4" NPT , SUPPLY PORT: 3/8" NPT 3/8" NPT DELIVERY PORTS (4), CRACK PRESSURE: 2 PSI	BENDIX	279180
25	46.27.9952	R6 RELAY VALVE 3/4" NPT SUPPLY PORT IN MOUNTING FLANGE , CRACK PRESSURE: 2 PS	BENDIX	279952
26	46.28.0375	R6 RELAY VALVE - SERVICE PORT:1/4" NPT , SUPPLY PORT:3/8" NPT 3/8" NPT DELIVERY PORTS (4), CRACK PRESSURE: 2 PSI	BENDIX	280375
27	46.28.0600	RELAY VALVE - CONTROL PORT:3/8" NPT, 1/2" NPT SUPPLY (RES.) PORT (2), 3/8" NPT DELIVERY PORTS (2), CRACK PRESSURE : 4.6 PSI	MIDLAND	KN-28060
28	46.28.0710	RELAY VALVE - 1/2" NPT SUPPLY PORTS (2), 1/2" NPT DELIVERY PORTS (2), 1/4" NPT CONTROL PORT, 1/8" NPT CONTROL PORT, CRACK PRESSURE: 4.6 PSI	MIDLAND	KN-28071
29	46.28.0800	RELAY VALVE - 1/2" NPT SUPPLY PORTS, 3/8" NPT DELIVERY PORTS 3/8" NPT CONTROL PORT, CRACK PRESSURE: 7.0 PSI	MIDLAND	KN-28080
30	46.28.186.0	RE-6 RELAY-EMERGENCY VALVE - 1/4" NPT SERVICE PORTS, 1/4" NPT EMERGENCY PORTS, 3/4" NPT SUPPLY PORT, 3/8" NPT DELIVERY PORT 1/4" NPT DELIVERY PORT, CRACK PRESSURE: 4.5 PSI	BENDIX	281860
31	46.28.186.5	RE-6 RELAY-EMERGENCY VALVE - 1/4" NPT SERVICE PORTS, 1/4" NPT EMERGENCY PORTS, 3/4" NPT SUPPLY PORT, 3/8" NPT DELIV- ERY PORT, 1/4" NPT DELIVERY PORT, CRACK PRESSURE: 4.5 PSI	BENDIX	281865
32	46.28.5000	RG-2 RELAY - RESERVOIR: 3/8", DELIVERY 3/8", 1/4" NPT CONTROL PORT, CRACK PRESSURE : 5.5 PSI	MIDLAND	KN-28500

RELAY VALVES



33



34



35



36



37

View	Unit N°	Description	Makers	Makers'Unit N°
33	46.28.5100	RG-2 RELAY - RESERVOIR: 3/8" - 1/2", DELIVERY 3/8" 1/4" NPT CONTROL PORT, CRACK PRESSURE 5.5 PSI	MIDLAND	KN-28510
34	46.28.5200	RG-2 RELAY - RESERVOIR: 1/2", DELIVERY 1/2", 1/4" NPT CONTROL PORT, CRACK PRESSURE 5.5 PSI	MIDLAND	KN-28520
35	46.28.6370	R-8 RELAY VALVE - 1/4" NPT SERVICE PORT, 3/4" NPT SUPPLY PORT, 1/2" NPT DELIVERY PORTS, CRACK PRESSURE 3 PSI	BENDIX	286370
36	46.28.7114	R-8 RELAY VALVE - CRACK PRESSURE 0 PSI, SUPPLY:2X3/4"NPT DELIVERY:1X1/2"NPT, DELIVERY:1X1/4"NPT, SERVICE:1X3/8"NPT	BENDIX	287114
37	46.30.400.0	RELAY EMERGENCY VALVE - CRACK PRESSURE 4.5 PSI SUPPLY:3/4"NPT, DELIVERY:3/8"NPT, SERVICE:1/4"NPT	MIDLAND	KN-30400

SOLENOID VALVES



1



2



3



4

View	Unit N°	Description	Makers	Makers'Unit N°
1	71.06.832.0	12 VOLT SOLENOID VALVE - MIDLAND-EATON	MIDLAND	KN-68230
2	71.06.832.7	24 VOLT SOLENOID VALVE - MIDLAND-EATON	MIDLAND	KN-68237
3	71.69.973.0	12 VOLT SOLENOID VALVE - CUMMINS FUEL	CUMMINS	3035342
4	71.69.973.2	24 VOLT SOLENOID VALVE - CUMMINS FUEL	CUMMINS	3035344

SAFETY VALVES



1



2



3



4

View	Unit N°	Description	Makers	Makers'Unit N°
1	80.13.108.1B	ST-4 SAFETY VALVE - LOW PROFILE DESIGN PRESET @ 250 PSI, (NON ADJUSTABLE USED FOR AIR COMPRESSORS)	BENDIX	131081
2	80.20.510.5B	ST-1 SAFETY VALVE - SETTING: 150 PSI (10.5 BAR)	BENDIX	205105
3	80.28.414.2B	ST-3 SAFETY VALVE - SETTING:150PSI, PORT:1/4"NPT,	BENDIX	284142
4	80.80.035.0	ST-4 SAFETY VALVE - LOW PROFILE FOR A1.8, IR DRYERS PRE-SET AT 175 PSI - 1/4" NPT	BENDIX	800350

BRAKE FOOT VALVES



1



2



3



4



5



6



7



8

View	Unit N°	Description	Makers	Makers'Unit N°
1	41.10.110.0	E-10 DUAL BRAKE FOOT VALVE - SUPPLY: 3/8"NPT, DELIVERY: 3/8"NPT INSTALLATION: 3X UNC 5/16-18	BENDIX	101100
2	41.10.181.8	E-7 DUAL BRAKE FOOT VALVE - SUPPLY: 1/4NPT, 1/2NPT, 3/8NPT DELIVERY: 1/2NPT, 3/8NPT	BENDIX	101818
3	41.11.61.71B	E-6 FOOT BRAKE VALVE - WITH TREADLE ANGLE: 45 DEG PORTS: 11+12/21+22=NPT3/8	BENDIX	
4	41.27.786.3	E-3 DUAL BRAKE FOOT VALVE - PORTS: SUPPLY & DELIVERY 1/2"NPT AUXILIARY SUP 1/4"NPT, INSTALLATION: 3X UNC 5/16-18	BENDIX	277863
5	41.28.61.71B	E6 FOOT BRAKE VALVE - WITH TREADLE PORTS: SUPPLY & DELIVERY 3/8"NPT, INSTALLATION: 3X UNC 5/16-18	BENDIX	286171
6	41.28.677.3	E-7 DUAL BRAKE FOOT VALVE - WITH STUDS SUPPLY: 1/2NPT, 1/4NPT DELIVERY: 1/2NPT, 1/4NP	BENDIX	286773
7	41.28.838.3	E-7 DUAL BRAKE FOOT VALVE - SUP PORTS: NPT1/4, DEL PORTS: NPT1/4, INSTALLATION HOLES: 3X 5/16-18 UNC-2B	BENDIX	288383
8	41.80.062.9	E-8P FOOT BRAKE VALVE - SUP PORTS 11,12: NPT3/8 DEL PORTS 21,22: NPT3/8, INSTALLATION HOLES: 6X 5/16-18 UNC	BENDIX	800629

TRAILER PROTECTION VALVES



1




2



3

View	Unit N°	Description	Makers	Makers'Unit N°
1	43.27.900.0	TP-3 TRAILER PROTECTION VALVE TRAILER EMERG SUPPLY: 1/2"NPT, TRAILER SERV SUPPLY: 1/2"NPT	BENDIX	279000
2	43.28.860.5	TP-5 TRAILER PROTECTION VALVE TRAILER EMERG SUPPLY: 1/2"NPT, TRAILER SERV SUPPLY: 1/2"NPT, TRAILER SERV & EMERG SUPPLY (REAR): 3/8"NPT, TRAILER CONTROL: 3/8"NPT	BENDIX	288605
3	43.65.706.0	TP-3 DC TRAILER PROTECTION VALVE TRACTOR CONTROL: 3/8" NPT, STOP LITE SWITCH PORT: 1/4" NPT TRACTOR SUPPORT PORT: 1/4" NPT, TRAILER CONTROL PORT: 1/2" NPT, TRAILER SUPPORT PORT: 1/2" NPT	BENDIX	065706

HAND & DASH CONTROL VALVES




View	Unit N°	Description	Makers	Makers' Unit N°
1	42.00.MV3B	MV-3 CONTROL MODULE PORTS: 1/4" NPT, M6 X 1-6H THREADED MOUNTING HOLES	BENDIX	800515
2	42.10.1437	MV-2 CONTROL MODULE - 1/4" UNTHREADED MOUNTING HOLES	BENDIX	101437N
3	42.17.600.0	MANOEUVERING VALVE PORTS: SUP+DEL= 1/4" NPT, PUSH TO RELEASE	SEALCO	17600B
4	42.20.031.0	MANOEUVERING VALVE PORTS: SUP+DEL= 1/4"NPT, POP PRESSURE: (25-35) P.S.I	MIDLAND	KN-20031
5	42.20.033.0	MANOEUVERING VALVE PORTS: SUP+DEL= 1/4"NPT, POP PRESSURE: (7-17) P.S.I	MIDLAND	KN-20033
6	42.20.0615	MIDLAND CONTROL MODULE	MIDLAND	KN-20615
7	42.22.963.5	TW-1 CONTROL VALVE SUPPLY: 1/8"NPT, DELIVERY: 1/8"NPT, INSTALLATION: 2XW3/16-24	BENDIX	229635
8	42.24.843.3	PARK BRAKE KNOB - FITS 3/8" SHAFT, 1-1/2" SQUARE	BENDIX	248433
9	42.24.850.2	PARK BRAKE KNOB - FITS 3/8" SHAFT, 1-1/4" SQUARE	BENDIX	248502
10	42.27.627.0	TC-2 TRAILER BRAKE HAND CONTROL VALVE - PORTS: 1/4"NPT	BENDIX	276270
11	42.27.646.2	CONTROL VALVE SUP: NPT1/8, DEL: NPT1/8, EXH: NPT1/8, AUTO RELEASE: 40PSI	BENDIX	276462
12	42.27.663.5	TW-4 CONTROL VALVE SUPPLY: 1/8"NPT, DELIVERY: 1/8" NPT, INSTALLATION: 2XW3/16-24	BENDIX	276635
13	42.27.665.6B	PP-1 CONTROL VALVE PORTS: SUP+DEL+EXH= 1/8" PT, AUTO RELEASE: 20 P.S.I.	BENDIX	276656
14	42.27.845.0	PP-1 CONTROL VALVE PORTS: SUP+DEL= 1/8"NPT	BENDIX	278450
15	42.28.194.6	PP-5 CONTROL VALVE - SUPPLY: 1/8"NPT, DEL: 1/8"NPT, PILOT AIR INLET: 1/8"NPT, AIR RELEASE: 18 PSI	BENDIX	281946
16	42.28.723.8	PP-8 CONTROL VALVE SUPPLY: 1/8"NPT, DELIVERY: 1/8"NPT, EXHAUST: 1/8"NPT	BENDIX	287238
17	42.28.741.7	PP-1 CONTROL VALVE PORTS: SUP+EXH= 1/8"NPT, DEL= 1/4"NPT	BENDIX	287417
18	42.28.760.0	PP-1 CONTROL VALVE PORTS: SUP+EXH= 1/8"NPT, DEL= 1/4"NPT, AUTO RELEASE: 40 P.S.I.	BENDIX	287600

HAND & DASH CONTROL VALVES



19




20



21




22



23



24



25



26



27

View	Unit N°	Description	Makers	Makers' Unit N°
19	42.28.823.9B	PP-7 CONTROL VALVE PORTS 1,4= 1/8"NPT, PORT 21= 1/4"NPT	BENDIX	288239
20	42.28.874.6	PP-3 CONTROL VALVE SUPPLY: 1/8"PT, DELIVERY: 1/4"PT, EXHAUST: 1/4"PT, "POPS" AT 40 PSI	BENDIX	288746
21	42.29.065.5	TRAILER AIR SUPPLY KNOB	BENDIX	290655
22	42.80.0257	MV 3 CONTROL MODULE - TYPE I PLATE (RECESSED) W/ .275 OPEN MOUNTING HOLES (4) W/ P-T-C FITTINGS IN ALL PORTS	BENDIX	800257
23	42.80.0259	MV 3 CONTROL MODULE - TYPE II PLATE (FLAT) W/ 1/4" - 20 THREADS (4) IN MOUNTING HOLES	BENDIX	800259
24	42.80.0516	MV 3 CONTROL MODULE - TYPE I PLATE (RECESSED) W/ .275" OPEN MOUNTING HOLES (4)	BENDIX	800516
25	42.80.0517	MV 3 CONTROL MODULE SPECIAL DOUBLE PLATE	BENDIX	800517
26	42.80.0523	MV 3 CONTROL MODULE - TYPE II PLATE (FLAT) W/ #10 - 24 THREADS (4) IN MOUNTING HOLES	BENDIX	800523
27	42.80.0573	MV 3 CONTROL MODULE - TYPE I PLATE (RECESSED) W/ 1/4" - 20 THREADS (4) IN MOUNTING HOLES	BENDIX	800573

PALM COUPLINGS



1



2



3



4

View	Unit N°	Description	Makers	Makers' Unit N°
1	87.01.144.4	PALM COUPLING - 1/2" GLADHAND / ANGLED EMERGENCY PALM BLUE, PORTS: 1/2"NPT	HALDEX	11444
2	87.01.144.5	PALM COUPLING - 1/2" GLADHAND / ANGLED EMERGENCY PALM RED, PORTS: 1/2"NPT	HALDEX	11445
3	87.01.145.1	PALM COUPLING - 1/2" GLADHAND EMERGENCY PALM RED, PORT: 1/2"NPT	HALDEX	11451
4	87.01.145.2	PALM COUPLING - 1/2" GLADHAND EMERGENCY PALM BLUE, PORT: 1/2"NPT	HALDEX	11452

PRESSURE PROTECTION VALVES



View	Unit N°	Description	Makers	Makers' Unit N°
1	57.14.027.0	PRESSURE PROTECTION VALVE <i>INLET: NPT3/8 , OUTLET: NPT3/8 , CUT-OFF PRESSURE: 4.0-4.2 BAR</i>	SEALCO	140270
2	57.14.028.0	PRESSURE PROTECTION VALVE <i>INLET: NPT3/8 , OUTLET: NPT3/8 , CUT-OFF PRESSURE: 4.7-5.0 BAR</i>	SEALCO	140280
3	57.14.037.0	PRESSURE PROTECTION VALVE <i>INLET: 1/4"NPT, OUTLET: 1/4"NPT, SETTING: 5 BAR</i>	SEALCO	140370
4	57.27.359.0	RV-1 PRESSURE PROTECTION VALVE - <i>SUPPLY: 1/4"PT, DELIVERY: 1/4"PT, DEL. PRESSURE : 70 PSI</i>	BENDIX	283590
5	57.27.714.7	PR-2 PRESSURE PROTECTION VALVE - <i>SUPPLY: 1/4"NPT, DELIVERY: 1/4"NPT NOMINAL CLOSING PRESSURE: 65PSI</i>	BENDIX	277147
6	57.27.714.8	PR-2 PRESSURE PROTECTION VALVE - <i>INLET: NPT1/4, OUTLET: NPT1/4, OPEN PRESS: (580 10)kPa, CLOSING PRESSURE : 500kPa NOM. CLOSING PRESSURE : 85 PSI</i>	BENDIX	277148
7	57.27.7144B	RV-1 PRESSURE PROTECTION VALVE - <i>DELIVERY PRESSURE: 80 PSI</i>	BENDIX	277144
8	57.28.650.0	PR-4 PRESSURE PROTECTION VALVE <i>SETTING: 100 PSI, PORTS: 1+2=1/4"PT</i>	BENDIX	286500
9	57.28.832.3	PR-4 PRESSURE PROTECTION VALVE <i>SETTING: 70 PSI, PORTS: 1+2=1/4"NPT</i>	BENDIX	288323
10	57.31.000.0	PRESSURE PROTECTION VALVE - <i>DELIVERY: 1/4"NPT, 1/8"NPT OPERATING PRESSURE-OPENS AT: 65 PSI, CLOSSES AT: 45 PSI</i>	MIDLAND	KN-31000

P.T.O. CONTROL VALVES



View	Unit N°	Description	Makers	Makers' Unit N°
1	97.20.700.0	P.T.O CONTROL VALVE (MUNCIE) - "FLIPPER" STYLE VALVE W/ LOCKING HANDLE - ALL PORTS 1/8" NPT	MIDLAND	KN-20700
2	97.32.886.5	P.T.O CONTROL VALVE (CHELSEA) 4 WAY / 3 POSITION	CHELSEA	328865
3	97.32.935.8	P.T.O. & DUMP PUMP CONTROL VALVE - "COMBO" CONTROL VALVE CONTROLS AIR SHIFT ON PTO AND AIR SHIFT ON DUMP PUMPS	CHELSEA	329358

LEVELLING & PILOT VALVES




View	Unit N°	Description	Makers	Makers'Unit N°
1	92.05.022.7	LEVELLING VALVE <i>ALL PORTS: 1/4" NPT, MAX WORKING PRESSURE:1.2MPA, MOUNTING THREAD:1/4-20UNC</i>		VS-227
2	92.05.234.1	LEVELLING VALVE - ALL PORTS: 1/4" NPT		52341-Q135
3	92.11.148.3B	HALDEX LEVELLING VALVE <i>ALL PORTS : 1/4" NPT, (IMMEDIATE RESPONSE INCLUDES BUILT-IN DUMP VALVE.)</i>	HALDEX	90554241
4	92.20.312.6B	HADLEY LEVELLING VALVE <i>PORTS , 2, : 11/8"NPT</i>	HADLEY	20QE3126
5	92.20.500.0	HADLEY LEVELLING VALVE	HADLEY	H500CB
6	92.27.000.0B	MIDLAND LEVELLING VALVE <i>ALL PORTS: 1/4" NPT</i>	MIDLAND	KN-27000
7	92.54.000.7.	NEWAY LEVELLING VALVE <i>ALL PORTS: 1/8"NPT</i>	NEWAY	90054007
8	92.54.407.4	NEWAY AIR SUSPENSION - PILOT VALVE (NORMALLY CLOSED)	NEWAY	90054074
9	92.54.407.5	NEWAY AIR SUSPENSION - PILOT VALVE	NEWAY	90054075
10	92.55.427.1	HADLEY LEVELLING VALVE <i>ALL PORTS: 1/4" NPT, (DUMP FEATURE: NORMALLY OPEN - NEEDS AIR PRESSURE TO DUMP AIR FROM AIRSPRINGS)</i>	HALDEX	90554271
11	92.55.461.5.	PILOT VALVE /3 WAY <i>NEWAY AIR SUSP CAN BE NORMALLY OPEN (N.O) OR CLOSED (N.C)</i>	NEWAY	90554615

DRAIN VALVES




View	Unit N°	Description	Makers	Makers'Unit N°
1	83.12.010.5	DRAIN VALVE & CABLE - 1/4" NPT (MALE THREAD)	MIDLAND	12105
2	83.28.192.3	DV-2 DRAIN VALVE AUTO - ALL PORTS: 3/8" NPT, (NON-HEATED)	BENDIX	281923

CHECK VALVES




View	Unit N°	Description	Makers	Makers' Unit N°
1	57.22.040.0B	SC-3 S/CHECK VALVE - ALL PORTS: 3/4"NPT - C/OFF PRESSURE: 30KPA	HALDEX	KN 23040
2	57.22.060.0B	SC-3 S/CHECK VALVE / 90° - PORTS: SUPPLY+DELIVERY= 1/2"NPT	BENDIX	800376
3	57.22.787.0B	SC-2 S/CHECK VALVE - PORTS: SUPPLY+DELIVERY= 3/8"NPT	HALDEX	KN 23010
4	57.22.787.1B	SC-2 S/CHECK VALVE - INLET:1/2"NPT - OUTLET:1/2"NPT	BENDIX	227871
5	57.27.859.6B	DC-4 D/CHECK VALVE - PORT11:1/2"NPT PORTS21,22:3/8" PORT12:1/4"NPT	BENDIX	278596
6	57.27.859.8B	DC-4 D/CHECK VALVE - PORTS 11, 22, 21: 3/8"PT - PORT12: 1/4"PT	BENDIX	278598
7	57.27.861.4B	DC-4 D/CHECK VALVE - PORTS 11,12,+2 : 3/8"NPT	BENDIX	278614
8	57.27.861.5B	DC-4 D/CHECK VALVE - PORTS 11,12,+2 : 1/4"PT	BENDIX	278615
9	57.27.882.5B	SV-1 SYNCHRO VALVE - PORTS: SUP, DEL, CON= 1/4"NPT - EXH= 1/8"NPT INLET PSI A: 42 - EXHAUST PSI B: 28	BENDIX	278825
10	57.28.080.9B	DC-4 D/CHECK VALVE - ALL PORTS: 3/8"NPT	BENDIX	280809
11	57.28.145.9B	TR-3 INVERSION VALVE - SUPPLY: 1/4"NPT - DELIVERY: 1/4"NPT CONTROL: 1/8"NPT - INLET PSI A: 25 - EXHAUST PSI B: 40	BENDIX	281459
12	57.28.247.2B	SV-1 SYNCHRO VALVE - PORTS: SUP, DEL, CON= 1/4"NPT - EXH= 1/8"NPT INLET PSI A: 21 - EXHAUST PSI B: 11	BENDIX	282472
13	57.29.503.6B	DC-4 D/CHECK VALVE - PORTS: 11, 12, +2= 3/8"NPT	BENDIX	295036

SLACK ADJUSTERS



View	Unit N°	Description	Makers	Makers' Unit N°
1	30.08.516.4	MANUAL SLACK ADJUSTER SPLINE TEETH:1.25" -10, ARM LENGTH: 5.5" ADAPTER THREAD SIZE: 5/8" - 18 UNF , YOKE OFFSET: STRAIGHT	BENDIX	065164
2	30.08.516.7	MANUAL SLACK ADJUSTER SPLINE TEETH1.25" - 24, ARM LENGTH: 5.5" ADAPTER THREAD SIZE: 5/8" - 18 UNF , YOKE OFFSET: STRAIGHT	BENDIX	065167
3	30.08.517.4	MANUAL SLACK ADJUSTER SPLINE TEETH:1.5" - 28, ARM LENGTH: 5.5" ADAPTER THREAD SIZE: 5/8" - 18 UNF , YOKE OFFSET: STRAIGHT	BENDIX	065174
4	30.08.651.7	MANUAL SLACK ADJUSTER SPLINE TEETH:1.5" - 10, ARM LENGTH: 5.5" ADAPTER THREAD SIZE: 5/8" - 18 UNF , YOKE OFFSET: STRAIGHT	BENDIX	065170

QUICK RELEASE VALVES




View	Unit N°	Description	Makers	Makers'Unit N°
1	63.10.131.1B	LQ-4 QUICK RELEASE VALVE - PORTS SUP: 3/8"PT, PORTS DEL: 3/8" PT, NOMINAL HOLD OFF PRESSURE: 20PSI, NOMINAL EQUALIZING PRESSURE:70PSI	BENDIX	101311
2	63.28.914.4B	LQ-4 QUICK RELEASE VALVE - PORTS SUP: 3/8" NPT, PORTS DEL: 3/8" NPT, NOMINAL HOLD OFF PRESSURE:4PSI, NOMINAL EQUALIZING PRESSURE: 60PSI (FRONT AXLE PRESSURE LIMITING)	BENDIX	289144
3	64.22.950.5B	LQ-2 LIMITING AND QUICK RELEASE VALVE SUPPLY: 3/8"PT, DELIVERY: 3/8"PT, CONTROL: 1/4"PT	BENDIX	229505
4	64.22.985.9B	QR-1 QUICK RELEASE VALVE PORTS SUP : 3/8"NPT, PORTS DEL: 3/8" NPT	BENDIX	229859
5	64.22.986.0B	QR-1 QUICK RELEASE VALVE PORTS SUP : 1/2"NPT, PORTS DEL: 3/8" NPT	BENDIX	229860
6	64.28.918.2B	QR-1C QUICK RELEASE VALVE PORTS SUP : 1/4"PT, PORTS DEL: 1/4"PT, BALANCE: 1/4"PT	BENDIX	289182
7	64.28.971.4B	QR-1C QUICK RELEASE VALVE PORTS SUP : 1/4"NPT, PORTS DEL: 3/8"NPT, BALANCE: 1/4"NPT	BENDIX	289714
8	64.80.033.3B	INLINE - QR-L QUICK RELEASE VALVE PORT SUP 1(11): 1/2"NPT, PORT DEL(2): 1/2"NPT	BENDIX	800333

SWITCHES




View	Unit N°	Description	Makers	Makers'Unit N°
1	13250	STOP LIGHT SWITCH 1/4" NPT SUPPLY ACTUATES AT 3-5 PSI	MIDLAND	13250
2	228750	LP-3 LOW PRESS SWITCH 1/4" NPT SUPPLY ACTUATES AT 60 PSI	BENDIX	228750
3	295473	LP-3 LOW PRESS SWITCH 1/4" NPT SUPPLY ACTUATES AT 60 PSI	BENDIX	295473
4	228600B	SL4 STOPLIGHT SWITCH 1/4" NPT SUPPLY ACTUATES AT 3-5 PSI	BENDIX	228600

COMPRESSORS & POWER S/PUMPS



View	Unit N°	Description	Makers	Makers' Unit N°
1	60.30.339.4B	COMPRESSOR - FREIGHTLINER	BENDIX	5001614 /4187
2	60.30.376.3B	COMPRESSOR - CATERPILLAR 3406E	BENDIX	5003231 /5496
3	60.30.376.1B	COMPRESSOR - CATERPILLAR : 2 HOLE FLANGE	BENDIX	5000559 /5412
4	60.30.732.6B	COMPRESSOR - CATERPILLAR 3176J	BENDIX	5001774 /2713 /3235
5	605.120.347	HYDRAULIC PWR S/PUMP - 2-BOLT FLANGE/11 TOOTH SPLINE SHAFT, 4 USGPM FLOW RATE AT 1200 RPM 2175 PSI- L/H ROTATION	FREIGHTLINER	14-12347-001
6	605.120.464	HYDRAULIC PWR S/PUMP - 2-BOLT FLANGE/11 TOOTH SPLINE SHAFT, 4 USGPM FLOW RATE AT 1200 RPM 2175 PSI- R/H ROTATION	FREIGHTLINER	14-12464-003
7	605.582.135	POWER STEERING PUMP - CAPACITY:5 GPM, SHAFT TYPE:11-TOOTH, FLOW RATE:5 US GPM, PRESSURE:1750 PSI, ROTATION: RH	INTERNATIONAL	582135 C92
8	605.780.910	POWER STEERING PUMP - CAPACITY:5 GPM, SHAFT TYPE:9-TOOTH, FLOW RATE:5 US GPM, PRESSURE:1750 PSI, ROTATION: RH	INTERNATIONAL	785910 C93

AIRBAGS



View	Unit N°	Application	Contitech	Goodyear	Firestone
1	BT-012090 K1	COMPLETE AIRSPRING, NEWAY AXLE	910-16 P 441	1R12-090	W01 -358-9213
2	BT-012303 K1	COMPLETE AIRSPRING, FREIGHTLINER	910S-16A382	1R12-303	W01 -358-9780
3	BT-012403 K1	COMPLETE AIRSPRING, HENDRICKSEN	910-17.5 P440	1R12-403	W01 -358-9373
4	BT-04154 K1	COMPLETE AIRSPRING, PETERBILT	910-14 P 312	1R12-069	W01 -358-9069
5	BT-04156 K1	COMPLETE AIRSPRING, NEWAY	4156 N P04	1R12-092	W01 -358-9082
6	BT-04810 K3	COMPLETE AIRSPRING, FREIGHTLINER	4810 N P05	1R13-039	W01 -358-9121
7	1S4-008	CABIN SPRING, FREIGHTLINER	N/A	1S4-008	W02 -358-7012
8	BT-50720-6	CABIN SPRING, FREIGHTLINER	N/A	N/A	N/A
9	BT-57046	CABIN SPRING	S29-O046	1S4-123	W02 -358-7046

GEARBOX VALVES




View	Unit N°	Description	Makers	Makers'Unit N°
1	94.00.500.0B	TRANSMISSION SLAVE VALVE - PORTS ALL: 1/8"NPT	MIDLAND	A5000
2	94.00.6910	SHIFT KNOB - 10 SPEED (WITH SLIDE BUTTON)	FULLER	A-6910
3	94.01.404.1B	AIRLINE FILTER - ALL PORTS: 1/4" NPT	FULLER	A-4041
4	94.01.465.1B	TRANSMISSION DEEP-REDUCTION VALVE - ALL PORTS: 1/8" NPT (INCLUDES DASH PLATE & SCREWS)	FULLER	14651
5	94.01.674.3B	TRANSMISSION AIR REGULATOR - INLET: 1/4" NPT OUTLET: 1/8" NPT, NON-ADJUSTABLE PRESET AT: 57-65 PSI	FULLER	16743
6	94.02.354.6	RANGE CHANGE BUTTON - ALL PORTS: 1/8" NPT (INCLUDES KNOB)	FULLER	A-3546
7	94.02.474.0B	FILTER REGULATOR - NON-ADJUSTABLE PRESET AT: 57-65 PSI	FULLER	A-4740
8	94.02.691.3B	TRANSMISSION SHIFT KNOB ALL PORTS: 1/16" NPT (SUPERCEDES A-4900)	FULLER	A-6913
9	94.02.691.5B	TRANSMISSION SHIFT KNOB ALL PORTS: 1/16" NPT (SUPERCEDES A-5015)	FULLER	A-6915
10	94.02.691.8B	TRANSMISSION SHIFT KNOB - 18 SPEED TRANSMISSIONS, SELECTOR SLIDE BUTTON & RANGE FLIPPER, (SUPERCEDES A-5013)	FULLER	A-6918
11	94.02.731.3B	TRANSMISSION SHIFT KNOB 13 SPEED TRANS, RHD VEHICLES	FULLER	A-7313
12	94.19.974.0B	TRANSMISSION SPLITTER VALVE	FULLER	19974
13	94.43.081.0B	TRANSMISSION SPLITTER VALVE	FULLER	4300810

AIR DRYERS



View	Unit N°	Description	Makers	Makers'Unit N°
1	50.12.413.0B1	AIR DRYER: HEATER-ROCKWELL , PORTS: 1+21=1/2NPT, 4=1/4NPT	WABCO	432 413 001 0
2	50.65.225.0B	AIR DRYER: AD-9	BENDIX	65225
3	50.65.613.0	AIR DRYER: AD-IP , ALL PORTS THREAD: P11,2=PT1/2, P4=PT1/4	BENDIX	65613
4	PLM1003	AIR DRYER CARTRIDGE: AD-9	BENDIX	107794
5	PLM1997	PURGE VALVE: AD-9	BENDIX	5004341
6	PLM1998	PURGE VALVE KIT	BENDIX	107798

TYPICAL NISSAN TRUCK SYSTEM SCHEMATIC



KAGER

Products


JAPANESE CATALOGUE



General Index


AIR DRYERS	Page	27
AIR COMPRESSORS	Page	18
AIRBAGS	Page	20
BRAKE CHAMBERS	Page	18
CHECK VALVES	Page	26
CLUTCH MASTER CYLINDERS	Page	21
CLUTCH SERVOS	Page	28
CONTROL CYLINDERS	Page	21
DASH CONTROL VALVES	Page	24
DRAIN VALVES	Page	28
FOOT VALVES	Page	22
GOVERNORS	Page	24
LEVELLING VALVES	Page	20
POWER SHIFTS	Page	26
POWER STEERING PUMPS	Page	29
POWER BOOSTERS	Page	25
PROTECTION VALVES	Page	29
QUICK RELEASE VALVES	Page	20
RELAY VALVES	Page	23
SLACK ADJUSTERS	Page	27
SOLENOID VALVES	Page	22
SPRING BRAKES	Page	19

BRAKE CHAMBERS




View	Unit N°	Description	Application	OEM N° / Model
1	74.35.006.2B	BRAKE CHAMBER	IZUSU	1-48250-062
2	74.35.006.5B	BRAKE CHAMBER: T16 , PORTS=1/4" , STROKE=60MM	NISSAN UD	41320-90065
3	74.35.011.2B	BRAKE CHAMBER: T24 , PORTS=1/4" , STROKE=64MM	NISSAN CW520	44320-90112
4	74.35.042.0	BRAKE CHAMBER: T24 , REAR, WEDGE, PORTS=1/4"	HINO 420F	MK328971
5	74.35.044.0	BRAKE CHAMBER: REAR , NO STUDS (4), PORTS=3/8" , STROKE=60MM	HINO ZM440	
6	74.35.044.1B	BRAKE CHAMBER: FRONT , NO STUDS (2), PORTS=3/8" , STROKE=60MM	HINO ZM440	
7	74.35.044.3B	BRAKE CHAMBER: REAR , NO STUDS (4), PORTS=3/8" , STROKE=60MM	HINO ZM443	
8	74.35.201.3B	BRAKE CHAMBER: T24 , PORTS=3/8"NPT , 200MM ROD	HINO F20C/K13C	
9	74.35.274.1B	BRAKE CHAMBER: T24 , PORTS=3/8"NPT , 270MM ROD	HINO SH EF750	47830-2741
10	74.35.557.1B	BRAKE CHAMBER	MITSUBISHI FUSO FV320	MC805571
11	74.35.820.0B	BRAKE CHAMBER: T24 , WEDGE, PORTS=1/4"	ISUZU	1-48250-820-0
12	74.35.856.8B	BRAKE CHAMBER	MITSUBISHI FUSO FV350	MC838568
13	74.35.897.1B	BRAKE CHAMBER: T24 , WEDGE, M16 PORTS, STROKE=58MM	MITSUBISHI FUSO	MK328971

AIR COMPRESSORS



View	Unit N°	Description	Application	OEM N° / Model
1	60.10.296.0	AIR COMPRESSOR: SINGLE CYLINDER.85MM	HINO PROFIA 600 E13C-T L FR ENG 390PH	29100-2960-H
2	60.10.306.0	AIR COMPRESSOR: SINGLE CYLINDER.95MM	HINO PROFIA 700 E13C-T 700 SERIES 420PH	29100-3060-H
3	60.10.971.01	AIR COMPRESSOR: SINGLE CYLINDER.95MM	NISSAN	14501-97165
4	60.20.059.1	AIR COMPRESSOR: TWIN CYLINDER.80MM	MITSUBISHI 6D22T ENGINE	ME150591
5	60.20.236.4	AIR COMPRESSOR: TWIN CYLINDER.80MM	HINO J08C ERK*20 ENGINE	29100-2364



View	Unit N°	Description	Application	OEM N° / Model
1	79.35.001.9B	SPRING BRAKE: TYPE=T30/30 DOUBLE DIAPHRAGM	NISSAN UD KG51	41320-90019
2	79.35.011.9B	SPRING BRAKE: LD148:3X 3/8", PORTS: 40MM SHORT P/ROD:4 STUD	NISSAN CW520	44320-90119
3	79.35.016.5B	SPRING BRAKE: LD148:3X 3/8", PORTS: 40MM SHORT P/ROD:4 STUD	NISSAN UD 340	44320-90165
4	79.35.016.6B	SPRING BRAKE: LD148:3X1/4", PORTS: 240MM LONG P/ROD:4 STUD	NISSAN UD 340	44320-90165
5	79.35.017.4B	SPRING BRAKE: ACB.012XM16 PORTS:58MM, P/ROD	ISUZU CXZ	1-48250-174
6	79.35.027.6B	SPRING BRAKE: LD148:3X1/4", PORTS: 240MM LONG P/ROD:4 STUD	NISSAN CW520 / CK450	44320-90276
7	79.35.036.7B	SPRING BRAKE: TYPE=T30/24 WEDGE, PORTS=3/8"	ISUZU CVR	1-48250-367
8	79.35.081.2B	SPRING BRAKE: TYPE=T24/24 WEDGE, D/D, PORTS=1/4"	ISUZU	1-48250-812
9	79.35.106.2B	SPRING BRAKE: ZM440:133MM, P/ROD:1/4" PORTS	HINO	46690-1062
10	79.35.108.0B	SPRING BRAKE: T30/24 :3/8" PORTS:400MM, P/ROD	HINO SH	47580-1080
11	79.35.109.1B	SPRING BRAKE: ZM440:3/8", PORTS:120MM, P/ROD	HINO SH	47580-1091
12	79.35.156.0B	SPRING BRAKE: PORTS=3/8" OR 1/4", TYPE=T30/30P	mitsubishi Fuso FV350	MK321560
13	79.35.187.1B	SPRING BRAKE: PORTS=3/8" OR 1/4", SHORT ROD	HINO LSH	47850-1871
14	79.35.272.0B	SPRING BRAKE: PORTS=3/8" OR 1/4", LONG ROD	HINO LSH	47850-2720
15	79.35.326.0B	SPRING BRAKE	mitsubishi Fuso FK415 / FM515	MC813260
16	79.35.392.0	SPRING BRAKE: TYPE=T30/24, D/ D, WEDGE STROKE=64MM	HINO K13C	47850-3921
17	79.35.392.1B	SPRING BRAKE: PISTON TYPE=T30/24 WEDGE PORTS=3/8"	HINO K13C	47850-3921
18	79.35.651.9B	SPRING BRAKE: TYPE=T24/24 , PORTS=1/4" NPT	mitsubishi Fuso FV320	MC886519
19	79.35.819.3B	SPRING BRAKE: TYPE=T24/24 , WEDGE , STROKE=64MM	mitsubishi Fuso FV380	MK328193
20	79.35.851.5B	SPRING BRAKE: TYPE=T24/24 , PORTS=1/4" NPT	mitsubishi Fuso FV320	MC818515

AIRBAGS



1



2



3



4



5



6




7

View	Unit N°	Description	Application	OEM N° / Model
1	BT-1S0201	CABIN SUSPENSION AIR SPRING (FRONT)	NISSAN	6100201
2	BT-1S3515	G165 AIR SPRING SUSPENSION (FRONT)	NISSAN	95246-00211
3	BT-2008	AIR SPRING	HINO	7032701
4	BT-2010	AIR SPRING	HINO	52270-2253
5	BT-2011	AIR SPRING	HINO	52270-1350
6	BT-2015	AIR SPRING	HINO	S50C0-0050
7	BT-2023	HR-1C 3031 700 CABIN SUSPENSION AIR SPRING (REAR)	HINO	50893914 / 7041502

QUICK RELEASE VALVES




1



2

View	Unit N°	Description	Application	OEM N° / Model
1	64.10.104.0B	QUICK RELEASE VALVE	HINO	44760-1040
2	64.10.560.0B	QUICK RELEASE VALVE: PORTS 1/4"NPT	MITSUBISHI / NISSAN	03342-56000

LEVELLING VALVES



1



2



3




4



5

View	Unit N°	Description	Application	OEM N° / Model
1	92.30.125.4B	LEVELLING VALVE	HINO	49770-1254
2	92.30.129.6B	LEVELLING VALVE	HINO	49770-1296
3	92.30.140.4B	LEVELLING VALVE	MITSUBISHI	703-01404/5
4	92.30.146.0B	LEVELLING VALVE	HINO / MITSUBISHI	49770-1460
5	92.30.160.1B	LEVELLING VALVE	MITSUBISHI	701-01601/2

CLUTCH MASTER CYLINDERS




View	Unit N°	Description	Application	OEM N° / Model
1	19.40.4600	CLUTCH MASTER CYLINDER	MITSUBISHI	03240-46002
2	19.66.7371	CLUTCH MASTER CYLINDER - BORE SIZE:	MITSUBISHI	ME667371
3	19.105.0001	CLUTCH MASTER CYLINDER - BORE SIZE: Ø 3/4"	NISSAN UD	36801-20001
4	19.105.0003	CLUTCH MASTER CYLINDER - Ø 3/4"	NISSAN UD	46801-Z2001
5	19.105.0005	CLUTCH MASTER CYLINDER - Ø 3/4"	NISSAN UD	46801-00Z00
6	19.105.0010	CLUTCH MASTER CYLINDER - Ø 3/4"	NISSAN UD	30620-90010
7	19.105.0115	CLUTCH MASTER CYLINDER - Ø 3/4"	NISSAN UD	46801-90115
8	19.105.2003	CLUTCH MASTER CYLINDER - BORE SIZE: Ø 3/4"	NISSAN	46801-Z2003
9	19.105.3006	CLUTCH MASTER CYLINDER - Ø 3/4"	NISSAN UD	46801-90013
10	19.106.1410	CLUTCH MASTER CYLINDER - Ø 3/4"	HINO	31420-1410
11	19.106.1470	CLUTCH MASTER CYLINDER - Ø 1"	HINO	31420-1470
12	19.106.1480	CLUTCH MASTER CYLINDER - Ø 3/4"	HINO	31420-1480
13	19.106.1512	CLUTCH MASTER CYLINDER - Ø 1"	HINO	31420-1512
14	19.106.1610	CLUTCH MASTER CYLINDER - Ø 1"	HINO	31420-1610
15	19.106.1750	CLUTCH MASTER CYLINDER - Ø 1"	HINO	31420-1750
16	19.106.1770	CLUTCH MASTER CYLINDER - Ø 1"	HINO	31420-1770
17	19.106.1810	CLUTCH MASTER CYLINDER - Ø 1"	HINO	31420-1810
18	19.106.1840	CLUTCH MASTER CYLINDER - Ø 1"	HINO	31420-1840

CONTROL CYLINDERS




View	Unit N°	Description	Application	OEM N° / Model
1	71.03.3715	CONTROL CYLINDER - PORTS: 1/8"NPT	MITSUBISHI	ME063715

FOOT VALVES




View	Unit N°	Description	Application	OEM N° / Model
1	41.10.001.4B	FOOT VALVE & TREADLE	HINO	47160-2452
2	41.10.074.0B	FOOT VALVE	ISUZU	1-48100-740Y
3	41.10.080.4B	FOOT VALVE & TREADLE	MITSUBISHI	MC660804
4	41.10.165.2B	FOOT VALVE	HINO	47160-1652
5	41.10.244.0B	FOOT VALVE & TREADLE	ISUZU / HINO	47160-02440
6	41.10.290.0B	FOOT VALVE	ISUZU	241-02900
7	41.10.299.2B	FOOT VALVE & TREADLE	HINO	45101-Z2992
8	41.10.331.1B	FOOT VALVE	HINO	47160-3311
9	41.10.576.2B	FOOT VALVE & TREADLE	ISUZU	1-48100-576-2
10	41.35.3401B	FOOT VALVE & TREADLE E6 TYPE	MITSUBISHI / NISSAN / ISUZU	59300-83401
11	41.35.8211B	FOOT VALVE & TREADLE E6 TYPE	MITSUBISHI / NISSAN / ISUZU	MC838211

SOLENOID VALVES



View	Unit N°	Description	Application	OEM N° / Mod-
1	47.10.000.3B	SOLENOID VALVE - TYPE=VF/VN-188	NISSAN	26335-Z0003
2	47.10.000.4B	SOLENOID VALVE - TYPE=VN-189	NISSAN	26335-Z0004
3	47.10.023.0B	SOLENOID VALVE - TYPE=VF-102 / VI-176	ISUZU / MITSUBISHI	1-82563-023-0
4	47.10.029.0B	SOLENOID VALVE - TYPE=VF-173 / VF-373	ISUZU	1-82563-029-0
5	47.10.236.6	SOLENOID VALVE		MC842366
6	47.10.236.7	SOLENOID VALVE		MC842367
7	47.10.500.7B	SOLENOID VALVE - TYPE=VH-373 / VI-175	NISSAN / ISUZU	26335-Z5007




View	Unit N°	Description	Application	OEM N° / Model
1	46.08.000.0B	RELAY VALVE - PORTS: SUP=M24X1.5 DEL=M24X1.5 CONT=1/4" NPT	mitsubishi / hino / nissan	45184-90010
2	46.08.000.3B	RELAY VALVE - PORTS=3/8",3/8",1/4"	NISSAN CW520	45184-Z0003
3	46.08.000.9B	RELAY VALVE	NISSAN	48184-90003
4	46.08.001.0B	RELAY VALVE	NISSAN / ISUZU	48184-90010B
5	46.08.001.1B	RELAY VALVE	NISSAN	45184-90011
6	46.08.010.0B	RELAY VALVE - PORTS=M24",M24",1/4"	hino / nissan	44540-1030
7	46.08.0102	RELAY VALVE	hino	
8	46.08.020.0B	RELAY VALVE - PORTS=1/2",1/2",3/8"	mitsubishi	ME707196
9	46.08.059.1B	RELAY VALVE	hino	44640-3591G
10	46.08.127.0B	RELAY VALVE	hino	44540-1270
11	46.08.128.0B	RELAY VALVE	hino	44540-1280
12	46.08.139.3B	RELAY VALVE	mitsubishi	MC881393
13	46.08.160.1B	RELAY VALVE	mitsubishi	234-01601
14	46.08.2026	RELAY VALVE	mitsubishi	243-02026
15	46.08.2027	RELAY VALVE	mitsubishi	243-02027
16	46.08.540.2B	RELAY VALVE - PORTS=M24X1.5, M24X1.5, 1/4" NPT	mitsubishi / FUSO	44540-1010
17	46.08.717.9B	RELAY VALVE	mitsubishi, isuzu	ME707179

• BUSTECH • Air Bags



Full Range of Airbags for Trucks Available

GOVERNORS




View	Unit N°	Description	Application	OEM N° / Model
1	57.530.0058	GOVERNOR: PORTS M20X1.5 CUTOUT=8.3BAR	ISUZU	1-48350-058-0
2	57.530.0059	GOVERNOR: PORTS M20X1.5 CUTOUT=7.8BAR	ISUZU	1-48350-059-0
3	57.530.0061	GOVERNOR: PORTS 1/8NPT, 1/4NPT CUTOUT=8BAR	NISSAN	47540-90061
4	57.530.0063	GOVERNOR: PORTS M20X1.5 CUTOUT=7.5-8.5KG/CM²	ISUZU	1-48350-063-0
5	57.530.0330	GOVERNOR: PORTS 1/4" CUTOUT=7.8-8.8KG/CM²	HINO	44530-1321
6	57.530.1160	GOVERNOR: PORTS 1/4" CUTOUT=6.5-8.5KG/CM²	HINO	44530-1160
7	57.530.1170	GOVERNOR: PORTS 1/4" CUTOUT=6.5-7.5KG/CM²	HINO	44530-1170
8	57.MC802149	GOVERNOR: PORTS M20X1.5 CUTOUT=6.6BAR	MITSUBISHI	MC802149
9	57.MC808718	GOVERNOR: PORTS 1/8NPT, 1/4NPT CUTOUT=8.2BAR	MITSUBISHI	MC808718
10	57.MC826122	GOVERNOR: PORTS 1/8NPT, 1/4NPT CUTOUT=8.4BAR	MITSUBISHI	MC826122

DASH CONTROL VALVES



View	Unit N°	Description	Application	OEM N° / Model
1	42.35.102.0B	DASH CONTROL VALVE	ISUZU	1-48460-102-0
2	42.35.107.0B	DASH CONTROL VALVE: PORTS 1&2=1/4", PORT 3=1/8"	HINO	47930-1070
3	42.35.110.0B	DASH CONTROL VALVE: (SYNCHRO VALVE) PORTS 1&2=1/4", PORT 3=1/8"	HINO	41480-1100
4	42.35.140.0B	DASH CONTROL VALVE: PORTS= 1/4", 1/8"	MITSUBISHI / NISSAN	03342-14000
5	42.35.157.0B	DASH CONTROL VALVE	HINO	47930-1570
6	42.35.198.0B	DASH CONTROL: ALL PORTS= 1/4"	ISUZU	1-48460-198-0
7	42.35.548.5B	DASH CONTROL VALVE: ALL PORTS= 1/4" NPT	MITSUBISHI / NISSAN	MC805485
8	42.35.901.0B	DASH CONTROL VALVE	NISSAN	45141-90010
9	42.35.901.1B	DASH CONTROL VALVE	NISSAN	45141-90010-1
10	42.35.000.0B	DASH CONTROL VALVE	NISSAN	45260-00Z00




View	Unit N°	Description	Application	OEM N° / Model
1	72.203.070.4B	VACUUM BOOSTER: SHORT (BIG)	ISUZU	203-07040
2	72.203.071.5B	VACUUM BOOSTER: LONG (BIG)	ISUZU	203-07150
3	73.032.126.4B	POWER BOOSTER: SHORT	MITSUBISHI Fuso	MK321264
4	73.032.126.5B	POWER BOOSTER: LONG	MITSUBISHI Fuso	MK321265
5	73.080.753.0B	POWER BOOSTER: SHORT	ISUZU	1-47800-753-0
6	73.080.755.0B	POWER BOOSTER: LONG	ISUZU	1-47800-755-0
7	73.080.757.0B	POWER BOOSTER: LONG	ISUZU CXZ187	1-47800-757-0
8	73.080.759.0B	POWER BOOSTER: SHORT	ISUZU CXZ187	1-47800-759-0
9	73.081.530.5B	POWER BOOSTER: SHORT	MITSUBISHI Fuso FV413/415	MC815305
10	73.081.540.2B	POWER BOOSTER: LONG	MITSUBISHI Fuso FV413/415	MC815402
11	73.082.826.4B	POWER BOOSTER: SHORT	MITSUBISHI Fuso	MC828264
12	73.082.826.5B	POWER BOOSTER: LONG	MITSUBISHI Fuso	MC828265
13	73.250.003.0B	POWER BOOSTER: LONG	NISSAN	47250-A0030
14	73.250.004.0B	POWER BOOSTER: SHORT	NISSAN	47250-A0040
15	73.250.206.6B	POWER BOOSTER: LONG	NISSAN	47250-Z2066
16	73.250.206.7B	POWER BOOSTER: SHORT	NISSAN	47250-Z2067
17	73.640.024.6B	POWER BOOSTER: SHORT	HINO	44640-0246
18	73.640.220.0B	POWER BOOSTER: SHORT	HINO EF750	44640-2200
19	73.640.221.0B	POWER BOOSTER: LONG	HINO EF750	44640-2210
20	73.640.225.0B	POWER BOOSTER: LONG	HINO	44640-2250

POWER SHIFTS



View	Unit N°	Description	Application	OEM N° / Model
1	21.10.010.2B	POWER SHIFT	NISSAN CK450	33172-90102
2	21.10.033.1B	POWER SHIFT: TYPE=RIGHT STROKE=30MM	ISUZU	1-33730-033-1
3	21.10.040.0B	POWER SHIFT	NISSAN CW520 / FUSO FM515	654-0400
4	21.10.062.1B	POWER SHIFT: TYPE=RIGHT STROKE=28MM	ISUZU	1-33730-062-1
5	21.10.127.0B	POWER SHIFT	HINO	33510-1270
6	21.10.128.0B	POWER SHIFT: TYPE=RIGHT	HINO	33510-1280
7	21.10.600.0B	POWER SHIFT: TYPE=RIGHT	HINO	43431-76000
8	21.10.697.7B	POWER SHIFT: TYPE=RIGHT	mitsubishi FUSO FM / FK	ME636977
9	21.10.924.0B	POWER SHIFT	mitsubishi FUSO FM65	ME679240

CHECK VALVES




View	Unit N°	Description	Application	OEM N° / Mod-
1	57.12.0241	DOUBLE CHECK VALVE: PORTS 1/4" NPT	NISSAN / MITSUBISHI	MC820241
2	57.12.1010	DOUBLE CHECK VALVE: PORTS 1/4" NPT	HINO	44080-1010
3	57.12.1020	DOUBLE CHECK VALVE	HINO	44520-1020
4	57.12.1090	SINGLE CHECK VALVE: PORTS 3/8" NPT	HINO/FUSO	44510-1090
5	57.12.1190	SINGLE CHECK VALVE: PORTS 3/8" NPT	HINO	44510-1190
6	57.13.1909	SV1-SYNCHRO VALVE: PORTS 1/4" NPT	MITSUBISHI	MC821909

SLACK ADJUSTERS




View	Unit N°	Description	Application	OEM N° / Model
1	30.35.001.7B	SLACK ADJUSTER: ARMLENGTH=150MM SPLINE=40/35-14 OFFSET=95.4MM	NISSAN L/H	41028-90017
2	30.35.007.2B	SLACK ADJUSTER: ARMLENGTH=150.5/12 SPLINE=Φ34.53/30.6-12 OFFSET=62.0	HINO R/L	47480-1550
3	30.35.007.4B	SLACK ADJUSTER: ARMLENGTH=150.5/12 SPLINE=Φ34.53/30.6-12 OFFSET=62.1	HINO R/L	47490-1090
4	30.35.011.7B	SLACK ADJUSTER: ARMLENGTH=150.8MM SPLINE=40/35-14 OFFSET=24MM	NISSAN L/H	44342-90117
5	30.35.017.8B	SLACK ADJUSTER: ARMLENGTH=150MM SPLINE=40/35-14 OFFSET=24.5MM	NISSAN R/H	44341-90178
6	30.35.017.9B	SLACK ADJUSTER: ARMLENGTH=150MM SPLINE=40/35-14 OFFSET=24.5MM	NISSAN L/H	44342-90178
7	30.35.021.0B	SLACK ADJUSTER: ARMLENGTH=150.8 SPLINE=40/35-14 OFFSET=24MM	NISSAN R/H	44341-90210

AIR DRYERS




View	Unit N°	Description	Application	OEM N° / Model
1	50.35.026.4B	AIR DRYER MS-1	NISSAN CW520	47500-00264
2	50.35.051.7B	AIR DRYER ASSY DR-6	MITSUBISHI FP517	
3	50.35.207.3B	AIR DRYER DR-5	MITSUBISHI FP415	44069-2073
4	50.35.288.0B	AIR DRYER DU-4	HINO	44830-2880
5	50.35.299.0B	AIR DRYER DU-3	HINO	44830-2990
6	50.35.308.0B	AIR DRYER DU-5	HINO	44830-3080
7	50.35.749.7B	AIR DRYER ASSY DR-31	MITSUBISHI FV415	MC837497
8	50.35.799.3B	AIR DRYER DR-41	MITSUBISHI FK617	MC837993
9	PLM1518	CARTRIDGE DR-6	MITSUBISHI FP518	ME709603

CLUTCH SERVOS



View	Unit N°	Description	Application	OEM N° / Model
1	91.01.424.0	CLUTCH SERVO - DIA:Φ102MM STROKE:85MM M16X1.5/M14X1.5	HINO	970 051 4240
2	91.417.70.000	CLUTCH SERVO - Φ105MM LONG	NISSAN/41700-7D000	63.5713.00
3	91.63.571.3B	CLUTCH SERVO - DIA:Φ105MM, AIR:M14X1.5, 17/32"/24UN-2A ,	NISSAN	63.5713.00
4	91.642.01608	CLUTCH SERVO - DIA:Φ70MM, AIR:M14X1.5, HYD:M12X1.5	MITSUBISHI	642-03080
5	91.642.030.5B	CLUTCH SERVO - DIA:Φ105MM, AIR:M16X1.5, HYD:M12X1.5	MITSUBISHI	642-03505
6	91.642.03179	CLUTCH SERVO - DIA:Φ70MM, AIR:M14X1.5, HYD:M12X1.5	ISUZU	642-03179
7	91.642.03502	CLUTCH SERVO - DIA:Φ70MM, STROKE:35MM, PORT 11:M14X1.5,	NISSAN / HINO / MITSUBISHI	642-03502
8	91.642.045.4B	CLUTCH SERVO - Φ90MM	HINO	642-05454
9	91.642.09408	CLUTCH SERVO - DIA:Φ105MM STROKE:35MM M14X1.5/M12X1.5	HINO	642-09408

DRAIN VALVES



View	Unit N°	Description	Application	OEM N° / Model
1	83.10.0041	DRAIN VALVE	ISUZU	1-48312-004-1
2	83.10.0504	DRAIN VALVE: PORTS 11.5MM	MITSUBISHI	MC803504
3	83.10.1030	DRAIN VALVE: PORTS 1/2"NPT	HINO	44530-1030
4	83.10.1351	DRAIN VALVE	HINO	44510-1351
5	83.10.2000	DRAIN VALVE: PORTS M14X1.5	NISSAN	47502-Z2000
6	83.10.7017	DRAIN VALVE	MITSUBISHI	MC817017

POWER STEERING PUMPS



1



2



3



4



5



6




7




8

View	Unit N°	Description	Application	OEM N° / Model
1	605.09.2058	CONTROLLED FLOW:12L/MIN, FUEL FEED HOLE:Φ18, FUEL DISCHARGE HOLE:M20X1.5, DISPLACEMENT:15ML/R, SPEED RANGE:500-3600R/MIN, MAX PRESSURE:12MPA, ROTATION:L	MITSUBISHI FUSO 6D14/6D15/ JKC3418	MC092058 / 475-03478
2	605.04.0080	CONTROLLED FLOW:12L/MIN, FUEL FEED HOLE:Φ12, FUEL DISCHARGE HOLE:M18X1.5, DISPLACEMENT:18ML/R, SPEED RANGE:500-3600R/MIN, MAX PRESSURE:10MPA, ROTATION:R	ISUZU 6BG1	19500-371 / 475-04080
3	605.01.0260	CONTROLLED FLOW:8L/MIN, FUEL FEED HOLE:G3/8, FUEL DISCHARGE HOLE:G3/8, DISPLACEMENT:14.7ML/R, SPEED RANGE:500~3600R/MIN, MAX PRESSURE:8MPA, ROTATION:R	HINO EH700	44300-1260B
4	605.01.0641	CONTROLLED FLOW:20L/MIN, FUEL FEED HOLE:Φ12, FUEL DISCHARGE HOLE:M16X1.5, DISPLACEMENT:20ML/R, SPEED RANGE:500-3500R/MIN, MAX PRESSURE:13MPA, ROTATION:R	HINO EF750	S-EF750 44300-1641
5	605.44.0310	CONTROLLED FLOW:6.5L/MIN, FUEL FEED HOLE:M22×1.5, FUEL DISCHARGE HOLE:M16X1.5, DISPLACEMENT:14.33ML/R, SPEED RANGE:500-3600R/MIN, MAX PRESSURE:10.0MPA, ROTATION:R	HINO HO7C	44310-1880 / 44310-1930
6	605.01.0490	CONTROLLED FLOW:14L/MIN, FUEL FEED HOLE:Φ22, FUEL DISCHARGE HOLE:M16X1.5, DISPLACEMENT:18ML/R, SPEED RANGE:500-4000R/MIN, MAX PRESSURE:8.5MPA, ROTATION:R	HINO EK100	44310-1490
7	605.97.0312	CONTROLLED FLOW:18L/MIN, FUEL FEED HOLE:Φ12, FUEL DISCHARGE HOLE:3/4-16UNF, DISPLACEMENT:20.0ML/R, SPEED RANGE:500-3600R/MIN, MAX PRESSURE:13.5MPA, ROTATION:L	NISSAN CAW520L/RF8	14670-97312 / 14670-96367
8	605.97.0361	CONTROLLED FLOW:18L/MIN, FUEL FEED HOLE:Φ12, FUEL DISCHARGE HOLE:3/4-16UNF, DISPLACEMENT:20.0ML/R, SPEED RANGE:500-3600R/MIN, MAX PRESSURE:13.5MPA, ROTATION:L	NISSAN	14670-97178 / 14670-97361


PROTECTION VALVES



1



2




3

View	Unit N°	Description	Application	OEM N° / Model
1	54.35.007.9B	PROTECTION VALVE	ISUZU	1-48110-079-Y
2	54.35.133.0B	PROTECTION VALVE - PORT 1: NPT3/8, PORTS 21,22,23,24: NPT1/4, OPENING PRESSURE: PORTS 21,22:0KPA, PORT 23:(630-660)KPA, PORT 24:(530-560)KPA	HINO	4457-01330
3	54.35.133.1B	PROTECTION VALVE - PORT 1: NPT3/8, PORTS 21,22,23,24: NPT1/4, OPENING PRESSURE: PORTS 21,22:0 KPA, PORT 23: (630-660)KPA, PORT 24:(530-560)KPA	HINO	4457-01331

YOU GET WHAT YOU PAY FOR.....

The Best Quality with the right price.



Distributors of :

