

KAGER



CHINESE CATALOGUE





A Full Range of Caliper Kits for Trucks



A Full Range of Airbags for Trucks



A Full Range of Disc Pads for Trucks



A Full Range of Master Cylinders for Trucks



A Full Range of Viscous Hubs & Fans for Trucks



A Full Range of Compressors Repair Kits for Trucks



KAGER

Products

CHINESE CATALOGUE



DONGFENG

DONGFENG VEHICLE MODEL NAMES

English Model Name:	Chinese Model Name:
Kinland	Tainlong
Kinrun	Tianjin
Balong	Balong

General Index

AIR DRYERS	Page	2
BRAKE CHAMBERS	Page	2
CLUTCH MASTER CYLINDERS	Page	6
CLUTCH SERVOS	Page	3
EXHAUST BRAKE VALVES	Page	6
FOOT BRAKE VALVES	Page	5
HAND BRAKE VALVES	Page	5
LEVELLING VALVES	Page	4
LINE FILTERS	Page	4
PRESS LIMITING VALVES	Page	2
PROTECTION VALVES	Page	5
QUICK RELEASE VALVES	Page	4
RELAY VALVES	Page	3
SPRING BRAKES	Page	6
TRAILER CONTROL VALVES	Page	4



View	Unit N°	Description	Makers	Makers'Unit N°
1	50.18.002.0	AIR DRYER: PORT 1= M22X1.5, PORT 21, 22, 23, 24= M16X1.5, PORT 22= M12X1.5	TIANLONG	3543010-K0700
2	50.19.001.0	AIR DRYER: PORT 1, 2= M22X1.5, PORT 22= M12X1.5	TIANLONG	3543Z24-001
3	50.35.046.0	AIR DRYER: PORT 1= M22X1.5, PORT 21, 22, 23, 24= M16X1.5, PORT 22= M10X1	TIANLONG	3543ZD2A-001
4	50.35.100.0	AIR DRYER: PORT 1= M22X1.5, PORT 21, 22, 23, 24= M16X1.5	TIANLONG	3543010-K0200
5	81.10.010.0	IN LINE FILTER: PORT 1, 2= M22X1.5	TIANJIN	

BRAKE CHAMBERS




View	Unit N°	Description	Makers	Makers'Unit N°
1	74.18.045.0	T24 BRAKE CHAMBER - LEFT: PORT NPT1/4, INSTALLING DISTANCE: 82, INSTALLING BOLT: M12	TIANLONG	3530001-ZB600
2	74.18.0710	T20 BRAKE CHAMBER - LEFT: PORT NPT1/4, INSTALLING DISTANCE: 82, INSTALLING BOLT: M12	TIANJIN	3519N-001
3	74.18.105.0	T30 BRAKE CHAMBER: PORT NPT1/4, INSTALLING DISTANCE: 82, INSTALLING BOLT: M12	TIANLONG	3519010-K0300
4	74.18.114.0	T20 BRAKE CHAMBER - LEFT: PORT NPT1/4, INSTALLING DISTANCE: 82, INSTALLING BOLT: M12X1.5	TIANJIN	3519BS01-001
5	74.18.201.0	T20 BRAKE CHAMBER - LEFT: PORT NPT1/4, INSTALLING DISTANCE: 82, INSTALLING BOLT: M12	BALONG	CA-3519010
6	74.18.369.0	T20 BRAKE CHAMBER - LEFT: PORT NPT1/4, INSTALLING DISTANCE: 82, INSTALLING BOLT: M12	TIANJIN	3519BS02-001

PRESS LIMITING VALVES



View	Unit N°	Description	Makers	Makers'Unit N°
1	52.18.045.0	PRESS LIMITING VALVE : PORT 1, 2= M16 X 1.5	BALONG	3512010-90000
2	52.35.046.0	PRESS LIMITING VALVE : PORT 1, 2= M22 X 1.5	TIANLONG	3534010-T38A0



View	Unit N°	Description	Makers	Makers' Unit N°
1	91.18.001.0	CLUTCH SERVO - $\Phi 105$: PORT 1= M16 X 1.5, PORT 4= M14 X 1.5	TIANJIN	1608Z56-001
2	91.18.006.0	CLUTCH SERVO - $\Phi 75$: PORT 1= M18 X 1.5, PORT 4= M14 X 1.5	TIANJIN	1608010-KC500
3	91.18.009.0	CLUTCH SERVO - $\Phi 102$: PORT 1= M16 X 1.5, PORT 4= M14 X 1.5	TIANJIN	1608Z36-001
4	91.18.010.0	CLUTCH SERVO - $\Phi 102$: PORT 11, 12= M22 X 1.5, QUICK CONNECTION, PORT 14= M14 X 1.5, PORT 12, 22= M12 X 1.5	TIANLONG	1608ZD2A-010
5	91.18.014.0	CLUTCH SERVO - $\Phi 102$: PORT 1= M16 X 1.5, PORT 4= M14 X 1.5	TIANLONG	1608010-T1102
6	91.18.024.0	CLUTCH SERVO - $\Phi 102$: PORT 1= M16 X 1.5, PORT 4= M14 X 1.5	TIANLONG	1608010-T1103
7	91.18.025.0	CLUTCH SERVO - $\Phi 102$: PORT 1= M14 X 1.5, PORT 4= M14 X 1.5	TIANLONG	1608010-T0501
8	91.18.028.0	CLUTCH SERVO - $\Phi 102$: PORT 1= M16 X 1.5, PORT 4= M14 X 1.5	TIANLONG	1608010-T1703
9	91.18.059.0	CLUTCH SERVO - $\Phi 102$: PORT 1= M16 X 1.5, PORT 4= M14 X 1.5 PORT 2= M12 X 1.5	TITAN	1608010-K0108
10	91.18.122.0	CLUTCH SERVO - $\Phi 102$: PORT 1= M16 X 1.5, PORT 4= M14 X 1.5	BALONG	
11	91.18.124.0	CLUTCH SERVO - $\Phi 102$: PORT 11, 14= M14 X 1.5,	TIANLONG	1608ZB7C-010
12	91.19.002.0	CLUTCH SERVO - $\Phi 105$: PORT 1= M16 X 1.5, PORT 4= M14 X 1.5	TIANJIN	1608N29-001
13	91.19.003.0	CLUTCH SERVO - $\Phi 105$: PORT 1= M16 X 1.5, PORT 4= M14 X 1.5	TIANJIN	1608N27-001
14	91.21.002.0	CLUTCH SERVO - $\Phi 102$: PORT 11, 14= M14 X 1.5, PORT 12, 22= M12 X 1.5	TIANLONG	1608010T38H0

RELAY VALVES


View	Unit N°	Description	Makers	Makers' Unit N°
1	46.18.001.0	RELAY VALVE : PORT 1, 2= M22 X 1.5, PORT 4= M16 X 1.5	TIANJIN	3527N50-010
2	46.18.008.0	RELAY VALVE : PORT 1, 2= M22 X 1.5, PORT 4= M16 X 1.5	TIANLONG	3527Z26-010
3	46.18.020.0	RELAY VALVE : PORT 1, 2= M22 X 1.5, PORT 41, 42= M22 X 1.5	BALONG	MG401-3527010
4	46.18.127.0	RELAY VALVE : PORT 1= $\Phi 15$, PORT 2= M22 X 1.5, PORT 4= $\Phi 10$	BALONG	3527Z26-010K
5	46.20.004.0	RELAY VALVE : PORT 1, 2= M22 X 1.5, PORT 41, 42= M16 X 1.5	TIANLONG	3527ZB1-001

LEVELLING VALVES



View	Unit N°	Description	Makers	Makers'Unit N°
1	92.07.019.0	LEVELLING VALVE (QUICK CONNECTOR)	BALONG	4640070010

LINE FILTERS



View	Unit N°	Description	Makers	Makers'Unit N°
1	61.18.018.0	LOAD SENSING RELAY VALVE : PORT 1, 2= M22X1.5, PORT 4= M16X1.5	TIANLONG	3542ZB1-010
2	61.18.096.0	LOAD SENSING RELAY VALVE: PORT 1, 2= M22X1.5, PORT 4= M16X1.5	TIANLONG	3542010-T0400

QUICK RELEASE VALVES




View	Unit N°	Description	Makers	Makers'Unit N°
1	64.18.004.0	QUICK RELEASE VALVE : PORT 1= M18X1.5, PORT 2= NPT1/4	TIANLONG	3533N1-010


TRAILER CONTROL VALVES



View	Unit N°	Description	Makers	Makers'Unit N°
1	43.18.003.0	TRAILER CONTROL: PORT 11, 12, 22, 41, 42, 43= M16X1.5	TIANLONG	3522Z07-001



View	Unit N°	Description	Makers	Makers'Unit N°
1	41.18.000.0	FOOT BRAKE VALVE	TIANJIN	3514ZB6-001
2	41.18.103.0	FOOT BRAKE VALVE : 11, 12, 21, 22= M16 X 1.5	BALONG	3514N2-010
3	41.18.129.0	FOOT BRAKE VALVE : 11, 12, 21, 22= M16 X 1.5	BALONG	M51-3514010
4	41.18.137.0	FOOT BRAKE VALVE : 11, 12, 21, 22= M16 X 1.5	TIANLONG	3514010-C0100

PROTECTION VALVES


View	Unit N°	Description	Makers	Makers'Unit N°
1	54.20.001.0	FOUR CIRCUIT PROTECTION VALVE : PORT 1= M22 X 1.5(2-M8-51), PORT 21, 22, 23, 24= M16 X 1.5	TITAN	3515Z01-010
2	54.20.008.0	FOUR CIRCUIT PROTECTION VALVE : PORT 1= M22 X 1.5(2-M8-58), PORT 21, 22, 23, 24= M16 X 1.5	TITAN	

HAND BRAKE VALVES


View	Unit N°	Description	Makers	Makers'Unit N°
1	42.18.001.0	HAND BRAKE VALVE : PORT 1, 2= M16 X 1.5	TIANLONG	3517010-C0101
2	42.18.035.0	HAND BRAKE VALVE : PORT 1, 21, 22= M16 X 1.5	TIANLONG	3517010-C0100
3	42.18.173.0	HAND BRAKE VALVE : PORT 1, 2= M16 X 1.5	TIANJIN	3517010-KD100
4	42.19.001.0	HAND BRAKE VALVE : PORT 1, 2= M16 X 1.5	BALONG	M51-3517020
5	42.20.002.0	HAND BRAKE VALVE : PORT 1, 21, 22= M16 X 1.5	BALONG	M51-3517010



1



2



3



4

View	Unit N°	Description	Makers	Makers'Unit N°
1	19.18.025.0	CLUTCH MASTER CYLINDER - $\Phi 25.4$: OIL OUTLET PORT 14X1.25	BALONG	
2	19.18.043.6	CLUTCH MASTER CYLINDER - $\Phi 27$: OIL OUTLET PORT M14X1.5	TIANJIN	1604Z36-010
3	19.18.501.0	CLUTCH MASTER CYLINDER: OIL OUTLET PORT M14X1.5	TIANLONG	1604010-C0100
4	19.18.601.0	CLUTCH MASTER CYLINDER - $\Phi 24$: OIL OUTLET PORT M10X1	TIANJIN	1604Z56-010

EXHAUST BRAKE VALVES



1



2



3

View	Unit N°	Description	Makers	Makers'Unit N°
1	57.18.012.0	EXHAUST BRAKE VALVE $\Phi 100$: M10X1	BALONG	MQPS-3549301
2	57.19.003.0	EXHAUST BRAKE VALVE $\Phi 85$: NPT1/8	BALONG	FY3549500
3	57.21.001.0	EXHAUST BRAKE VALVE $\Phi 64$: NPT1/8	BALONG	FY3549200B

SPRING BRAKES



1



2



3



4



5



6



7

View	Unit N°	Description	Makers	Makers'Unit N°
1	79.18.027.0	T27/30 SPRING BRAKE - LEFT : PORT 11, 12= M16 X 1.5, INSTALLING DISTANCE: 120.7, INSTALLING BOLT: M16 X 1.5	TIANLONG	3530ZHS07A-001
2	79.18.044.0	T24/24 SPRING BRAKE - DANA : PORT 11, 12= M16 X 1.5, INSTALLING DISTANCE: 120.7, INSTALLING BOLT: M16 X 1.5	TIANJIN	3530RC4-001
3	79.18.076.0	T30/30 SPRING BRAKE - LEFT : PORT 11, 12= M16 X 1.5, INSTALLING DISTANCE: 120.7, INSTALLING BOLT: M16 X 1.5	TIANLONG	3530ZB1-001
4	79.18.107.0	T30/30 SPRING BRAKE - DANA : PORT 11, 12= M16 X 1.5, INSTALLING DISTANCE: 120.7, INSTALLING BOLT: M16 X 1.5	TIANJIN	3530010-T26A0
5	79.18.211.0	T30/30 D.D SPRING BRAKE - LEFT : PORT 11, 12= M16 X 1.5, INSTALLING DISTANCE: 120.7, INSTALLING BOLT: M16 X 1.5	TITAN	3530010-K0800
6	79.18.254.0	T24/24 SPRING BRAKE - LEFT : PORT 11, 12= M16 X 1.5, INSTALLING DISTANCE: 120.7, INSTALLING BOLT: M16 X 1.5	TIANJIN	3530B06-010-B
7	79.18.533.0	T30/24 SPRING BRAKE : PORT 11, 12= M16 X 1.5, INSTALLING DISTANCE: 120.7, INSTALLING BOLT: M16 X 1.5	BALONG	CA-3530010B

KAGER

Products


CHINESE CATALOGUE



FAW


General Index

AIRBAGS	Page	9
AIR DRYERS	Page	8
BRAKE CHAMBERS	Page	13
CHECK VALVES	Page	17
CLUTCH MASTER CYLINDERS	Page	12
CLUTCH SERVOS	Page	10
CONTROL CYLINDERS	Page	17
EXHAUST BRAKE VALVES	Page	12
FOOT BRAKE VALVES	Page	13
GEARBOX VALVES	Page	17
HAND BRAKE VALVES	Page	14-15
LEVELLING VALVES	Page	17
LOAD SENSING VALVES	Page	15
PROTECTION VALVES	Page	8
QUICK RELEASE VALVES	Page	9
RELAY VALVES	Page	11
SPRING BRAKES	Page	16
TRAILER CONTROL VALVES	Page	15
UNLOADER	Page	9







View	Unit N°	Description	Application	OEM N° / Model
1	50.18.001.0	AIR DRYER - WITH PROTECTION : PORT 1=M20X1.5, PORT 21, 22, 23, 24=Φ15, QUICK CONNECTION	AOWEI	3515010-368
2	50.18.005.0	AIR DRYER - WITH PROTECTION : PORT 11=M20X1.5, PORT 21, 22, 23, 25, 26=Φ15, QUICK CONNECTION	AOWEI	3515010-367
3	50.18.006.0	CONSEP CONDENSOR	DENWAY	3511010-776
4	50.18.031.0	CONSEP CONDENSOR : PORT 1, 2=M26X1.5, PORT 4=M10X1	J6	3511510-945
5	50.18.038.0	AIR DRYER - WITH PROTECTION : PORT 11=M20X1.5, PORT 21, 22, 25, 26=M18X1.5, PORT 22, 4=M10X1	HANWEI	3515010-D464LA
6	50.18.039.0	AIR DRYER - WITH PROTECTION : PORT 1=M20X1.5, PORT 21, 22, 23, 24=M18X1.5	DAWEI	3515010-Q458
7	50.18.044.0	AIR DRYER : PORT 1, 21=M18X1.5	SAILONG	3511010-D160
8	50.18.062.0	AIR DRYER - WITH PROTECTION : PORT 1=M20X1.5, PORT 21, 22, 23, 24=Φ15, QUICK CONNECTION	DAWEI	3515010-Q720
9	50.18.075.0	AIR DRYER - WITH PROTECTION : PORT 1=M18X1.5, PORT 21, 22, 23, 24=M18X1.5	HANWEI	3515010-X112
10	50.20.001.0	AIR DRYER - WITH PROTECTION : PORT 11=M20X1.5, PORT 21, 22, 23, 24, 25, 26=Φ15, PORT 22=M10X1	HANWEI	3515010-363

PROTECTION VALVES



View	Unit N°	Description	Application	OEM N° / Model
1	54.18.003.0	FOUR CIRCUIT PROTECTION VALVE : 21, 22, 23, 24 =Φ15 QUICK CONNECTION, INSTALLATION 2-M8-58	AOWEI	3523020-363
2	54.18.004.0	FOUR CIRCUIT PROTECTION VALVE : PORT 1=NPT3/8, PORT 21=M16X1.5, PORT 22=M10X1, PORT 23=M18X1.5, PORT 24=M18X1.5	SAILONG	3515010-X156
3	54.18.044.0	FOUR CIRCUIT PROTECTION VALVE : 1, 21, 22, 23, 24=M18X1.5	HONGTA	W3515010-1K5
4	54.19.001.0	M.CIRC PROTECTION VALVE : 21, 22, 23, 24, 25, 26=Φ15 QUICK CONNECTION, INSTALLATION 2-M8-58	AOWEI	


1

2

3

4

View	Unit N°	Description	Makers	Makers'Unit
1	BT-52032	AIRBAG	FAW J5-310	
2	BT-52033	AIRBAG	FAW J5-311	
3	BT-52038	AIRBAG	FAW J6	
4	BT-52039	AIRBAG	FAW J6	

QUICK RELEASE VALVES



1

View	Unit N°	Description	Makers	Makers'Unit
1	64.18.002.0	QUICK RELEASE VALVE : PORT 1=M16X1.5, PORT 2=M18X1.5	SAILONG	3516010-X156


UNLOADERS


1


View	Unit N°	Description	Makers	Makers'Unit
1	51.18.050.0	UNLOADER : PORT 1=M18X1.5, PORT 21=NPT3/8	HONGTA	3512010-1K5



View	Unit N°	Description	Application	OEM N° / Model
1	91.18.002.0	CLUTCH SERVO - $\Phi 75$: PORT 1= $\Phi 10$ QUICK CONNECTION, PORT 4=M14X1.5	FAW DENWAY	1602300-392
2	91.18.003.0	CLUTCH SERVO - $\Phi 102$: PORT 1=M16X1.5 QUICK CONNECTION, PORT 4= M14X1.5	AOWEI	1602300-362
3	91.18.006.0	CLUTCH SERVO - $\Phi 75$: PORT 1=M18X1.5, PORT 4=M14X1.5	SAILONG	1602300-X141
4	91.18.011.0	CLUTCH SERVO - $\Phi 102$: PORT 1=M16X1.5, PORT 4 =M14X1.5	AOWEI	1602300-367
5	91.18.017.0	CLUTCH SERVO - $\Phi 102$: PORT 1=M18X1.5, PORT 4=M14X1.5	HANWEI	1602350-Q367
6	91.18.031.0	CLUTCH SERVO - $\Phi 70$: PORT 1=M14X1.5, PORT 4=M12X1.25	HONGTA	T741602120
7	91.18.066.0	CLUTCH SERVO - $\Phi 102$: PORT 1= $\Phi 10$ QUICK CONNEC- TION, PORT 4=M14X1.5	J6	1602300-73C
8	91.18.079.0	CLUTCH SERVO - $\Phi 90$ (Old): PORT 1=M14X1.5 PORT 4=M10X1	HONGTA	1604100-T48
9	91.18.108.0	CLUTCH SERVO - $\Phi 102$: PORT 1= $\Phi 10$ QUICK CONNEC- TION, PORT 4=M14X1.5	AOWEI	1602300-398J
10	91.19.005.0	CLUTCH SERVO - $\Phi 90$: PORT 1= $\Phi 10$ QUICK CONNEC- TION, PORT 4=M14X1.5	HANWEI	1602300-385
11	91.19.006.0	CLUTCH SERVO - $\Phi 102$: PORT 1= $\Phi 10$ QUICK CONNEC- TION, PORT 4=M14X1.5	FAW J6 / HANWEI	1602300A363
12	91.19.007.0	CLUTCH SERVO - $\Phi 100$: PORT 1= $\Phi 10.2$ QUICK CON- NECTION, PORT 4=M14X1.5	DAWEI	1602300-D604
13	91.19.008.0	CLUTCH SERVO - $\Phi 100$: PORT 1= $\Phi 10$ PORT 4=M14X1.5	DAWEI	1602350-D647
14	91.19.015.0	CLUTCH SERVO : PORT 1= $\Phi 10$ PORT 4=M14X1.5	DAWEI	1602350-D849
15	91.19.017.0	CLUTCH SERVO - $\Phi 102$: PORT 11=M16X1.5 PORT 14=M14X1.5	J6	1602305A70A



View	Unit N°	Description	Application	OEM N° / Model
1	46.18.002.0	RELAY VALVE: PORT 1, 2=Φ15, QUICK CONNECTION PORT 4=Φ10, QUICK CONNECTION	J6 / AOWEI	3518010-50A
2	46.18.005.0	RELAY VALVE: PORT 1, 2=Φ15, PORT 4=Φ10, QUICK CONNECTION	AOWEI	3516020-367
3	46.18.007.0	RELAY VALVE: PORT 1, 2=Φ15, QUICK CONNECTION, PORT 4=Φ10, QUICK CONNECTION	HANWEI	3518010-363
4	46.18.010.0	RELAY VALVE: PORT 1, 2=Φ15, QUICK CONNECTION, PORT 4=Φ10, QUICK CONNECTION	AOWEI	3516010-368
5	46.18.011.0	RELAY VALVE: PORT 1, 2=Φ15, QUICK CONNECTION, PORT 4=Φ10, QUICK CONNECTION	AOWEI	3518010-73A
6	46.18.012.0	RELAY VALVE: PORT 1, 2=Φ15, QUICK CONNECTION PORT 4=Φ10.2, QUICK CONNECTION	HANWEI	3518010-382
7	46.18.015.0	RELAY VALVE: PORT 1, 2=M18X1.5, PORT 4=M16X1.5	SAILONG	3518010-X156
8	46.18.021.0	RELAY VALVE: PORT 11, 21, 22=Φ15, QUICK CONNECTION PORT 4= Φ10 QUICK CONNECTION	J6 / AOWEI	3516020-435
9	46.18.036.0	RELAY VALVE: PORT 11, 21, 22=M18X1.5 PORT 1, 2=M18X1.5, PORT 4=M14X1.5	SAILONG	3518010-D160
10	46.18.062.0	RELAY VALVE: PORT 1, 2=M18X1.5, PORT 4=M14X1.5	DAWEI	3518020-Q491
11	46.18.063.0	RELAY VALVE: PORT 1, 2=M18X1.5, PORT 4=M14X1.5	DAWEI	3518010-Q491
12	46.19.004.0	RELAY VALVE: PORT 1, 2=Φ15, PORT 4=Φ10, QUICK CONNECTION	AOWEI	3516010-367
13	46.19.008.0	RELAY VALVE: PORT 1, 2=Φ15, QUICK CONNECTION PORT 4=Φ10, QUICK CONNECTION, PORT 2=M18X1.5	HANWEI	3516020-362
14	46.20.0150	RELAY VALVE: PORT 1, 2=Φ15, QUICK CONNECTION, PORT 4=Φ10, QUICK CONNECTION	AOWEI	3518015-382
15	46.21.001.0	RELAY VALVE: PORT 1-2=NPT3/4, PORT 1=M22X1.5 PORT 2=NPT3/8, PORT 4= NPT1/4	SEMI- TRAILER	




View	Unit N°	Description	Application	OEM N° / Mod-
1	57.18.003.0	EXHAUST BRAKE VALVE - $\Phi 100$: M10X1	AOWEI	3523020-263
2	57.18.004.0	EXHAUST BRAKE VALVE - $\Phi 70$: M10X1	SAILONG	3523010-X156
3	57.18.005.0	EXHAUST BRAKE VALVE - $\Phi 100$: M10X1	J6	3523010-76A
4	57.18.006.0	EXHAUST BRAKE VALVE - $\Phi 80$: M10X1	J6	3523010-437/C
5	57.18.007.0	EXHAUST BRAKE VALVE - $\Phi 100$: M10X1	HANWEI	3523020-60A
6	57.18.010.0	EXHAUST BRAKE VALVE - $\Phi 100$: M10X1	AOWEI	3523020-A367
7	57.18.014.0	EXHAUST BRAKE VALVE - $\Phi 100$: M10X1	J6	3523020A60A
8	57.18.019.0	EXHAUST BRAKE VALVE - $\Phi 120$: M10X1	HANWEI	3523010-Q851
9	57.19.006.0	EXHAUST BRAKE VALVE - $\Phi 80$: M10X1	J6	3523010-437/B
10	57.20.001.0	EXHAUST BRAKE VALVE - $\Phi 80$: M10X1	HANWEI	3523010-20A

CLUTCH MASTER CYLINDERS




View	Unit N°	Description	Application	OEM N° / Mod-
1	19.18.001.0	CLUTCH MASTER CYLINDER $\Phi 20.6$ OIL OUTLET PORT M14X1.5	SAILONG	1602110-D160
2	19.18.002.5	CLUTCH MASTER CYLINDER OIL OUTLET PORT M14X1.5	DAWEI	1602110-385
3	19.18.006.0	CLUTCH MASTER CYLINDER $\Phi 20.6$ OIL OUTLET PORT M14X.5	J6	1602110A70A
4	19.18.018.5	CLUTCH MASTER CYLINDER $\Phi 25.4$ SPECIFICATION: OIL INLET $\Phi 12$	AOWEI	W1602110-367
5	19.18.211.0	CLUTCH MASTER CYLINDER OIL OUTLET PORT M14X1.5	HANWEI	1602110-362
6	19.19.211.0	CLUTCH MASTER CYLINDER $\Phi 20.64$ FEED HEAD- $\Phi 12$ OIL HEAD - M14X1.5	DENWAY	16022300-392



View	Unit N°	Description	Makers	Makers'Unit N°
1	41.18.002.0	FOOT BRAKE VALVE : PORT 11, 21=Φ10 QUICK CONNECTION PORT 12, 22= Φ15 QUICK CONNECTION, PORT 11, 12=M10X1	AOWEI	3514105-362
2	41.18.004.0	FOOT BRAKE VALVE : PORT 11, 21=Φ10 QUICK CONNECTION PORT 12, 22=Φ15 QUICK CONNECTION, PORT 11, 12=M10X1	HANWEI	3514105-365
3	41.18.005.0	FOOT BRAKE VALVE : PORT 11, 21=M14X1.5, PORT 12, 22=M18X1.5	DAWEI	3514010-D817
4	41.18.009.0	FOOT BRAKE VALVE : PORT 12, 21, 22=Φ15 QUICK CONNECTION PORT 11=M18X1.5, M10X1, PORT 12=M10X1	SAILONG	3514010-D160
5	41.18.014.0	FOOT BRAKE VALVE : PORT 11, 21=Φ10 QUICK CONNECTION PORT 12, 22=Φ15 QUICK CONNECTION, PORT 21, 22=M10X1	DENWAY	3514105-392
6	41.18.060.0	FOOT BRAKE VALVE : PORT 11, 12, 21, 22=Φ15 QUICK CONNECTION PORT 11, 12=M10X1	DAWEI	3514010-D604
7	41.19.001.0	FOOT BRAKE VALVE : PORT 11, 12, 21, 22 =M22X1.5 QUICK CONNECTION	J6	3514010-50A
8	41.19.006.0	FOOT BRAKE VALVE : PORT 1, 2=M18X1.5, M10X1, 21, PORT 22=M18X1.5	SAILONG	3514010-Q156
9	41.20.006.0	FOOT BRAKE VALVE : PORT 11, 12=M18X1.5, PORT 21, 22=M14X1.5, PORT 11, 12=M10X1	DAWEI	3514010-Q803

BRAKE CHAMBERS


View	Unit N°	Description	Makers	Makers'Unit N°
1	74.18.106.0	T24 BRAKE CHAMBER : PORT M22X1.5 QUICK CONNECTION, INSTALLING DISTANCE: 120, INSTALLING BOLT: M16X1.5	AOWEI	3519110-363
2	74.18.183.0	T20 BRAKE CHAMBER : PORT NPT1/4, INSTALLING DISTANCE: 82, INSTALLING BOLT: M12X1.5	SAILONG	3519010/20-X41
3	74.18.189.0	T24 BRAKE CHAMBER : PORT M16X1.5, INSTALLING DISTANCE: 120, INSTALLING BOLT: M16X1.5	J6	3519110-64A



View	Unit N°	Description	Application	OEM N° / Model
1	42.18.005.0	HAND BRAKE VALVE : PORT 11, 21, 22=Φ10 QUICK CONNECTION	AOWEI / HANWEI	3508105-363 3508105-395
2	42.18.006.0	HAND BRAKE VALVE : PORT 21, 22=Φ10 QUICK CONNECTION	AOWEI	3508105-367
3	42.18.010.0	HAND BRAKE VALVE : PORT 11, 21=Φ10.2 QUICK CONNECTION	DENWAY	3508105-392
4	42.18.012.0	HAND BRAKE VALVE : PORT 1, 21=M16X1.5	SAILONG	3508010-X156
5	42.18.020.0	HAND BRAKE VALVE : PORT 1, 21, 22=Φ10.2 QUICK CONNECTION	J6	3508015-50A
6	42.18.022.0	HAND BRAKE VALVE : PORT 11, 21=Φ10 QUICK CONNECTION	FAW AOWEI	3508105-398
7	42.18.023.0	HAND BRAKE VALVE : PORT 1, 21=Φ10.2 QUICK CONNECTION	AOWEI	3508010-704
8	42.18.028.0	HAND BRAKE VALVE : PORT 1, 21, 22=Φ10 QUICK CONNECTION	AOWEI	3508010-Y120
9	42.18.031.0	HAND BRAKE VALVE : PORT 1, 2=Φ10 QUICK CONNECTION	J6	3508040-53A
10	42.18.047.0	HAND BRAKE VALVE : PORT 1, 2=Φ10 QUICK CONNECTION	KUANWEI	3508105-776
11	42.18.053.0	HAND BRAKE VALVE : PORT 1, 2=Φ10 QUICK CONNECTION	DAWEI	3508010-D818
12	42.18.055.0	HAND BRAKE VALVE : PORT 1, 2=Φ10.2 QUICK CONNECTION	DAWEI	3508020-D818
13	42.18.072.0	HAND BRAKE VALVE : PORT 1, 2=Φ10 QUICK CONNECTION	AOWEI	3508110-739
14	42.18.093.0	HAND BRAKE VALVE : PORT 1, 2=Φ10.2 QUICK CONNECTION	DAWEI	3508105-D464
15	42.18.121.0	HAND BRAKE VALVE : PORT 1, 2=M16X1.5	HONGTA	3508100-A18
16	42.18.130.0	HAND BRAKE VALVE : PORT 1, 2=Φ10 QUICK CONNECTION	HANWEI	3508105-382
17	42.18.134.0	HAND BRAKE VALVE : PORT 1, 2=Φ10 QUICK CONNECTION	SAILONG	3508010-D160



18



19



20

View	Unit N°	Description	Application	OEM N° / Model
18	42.18.156.0	HAND BRAKE VALVE : PORT 1, 2=Φ10 QUICK CONNECTION	HANWEI	3508020-D488
19	42.18.159.0	HAND BRAKE VALVE : PORT 1, 2=Φ10 QUICK CONNECTION	HANWEI	3508010-D488
20	42.19.002.0	HAND BRAKE VALVE : PORT 11, 21=Φ10 QUICK CONNECTION	HANWEI	3508020-240

TRAILER CONTROL VALVES



1



2



3



4


View	Unit N°	Description	Makers	Makers'Unit N°
1	43.18.006.0	TRAILER CONTROL VALVE : PORT 11, 12, 22=Φ15, PORT 41, 42=Φ15 PORT 43=Φ10.2, QUICK CONNECTION	AOWEI	3522010-367
2	43.18.007.0	TRAILER CONTROL VALVE : PORT 11, 12, 22, 41, 42=Φ15 QUICK CON- NECTION, PORT 43=Φ10.2 QUICK CONNECTION	J6	W3522010-52A
3	43.18.010.0	TRAILER CONTROL VALVE : PORT 11, 12, 22, 41, 42=Φ15 QUICK CON- NECTION, PORT 43=Φ10.2 QUICK CONNECTION	AOWEI	3522015-367
4	43.18.052.0	TRAILER CONTROL VALVE : PORT 11, 12, 22, 41, 42=Φ15 QUICK CON- NECTION, PORT 43=Φ10 QUICK CONNECTION	DAWEI	3522010-D818

LOAD SENSING VALVES



1

View	Unit N°	Description	Makers	Makers'Unit N°
1	61.18.001.0	LOAD SENSING VALVE : PORT 1, 2=Φ15 QUICK CONNECTION,	AOWEI	3527015-72A



View	Unit N°	Description	Application	OEM N° / Model
1	79.18.003.0	T30/30 D.D. SPRING BRAKE CHAMBER : PORT 11,12=M22X1.5 QUICK CONNECTION, INSTALLING DISTANCE: 120, INSTALLING BOLT: M16X1.5	HANWEI	3530010A362
2	79.18.004.0	T20/24 SPRING BRAKE CHAMBER : PORT 11, 12=M18X1.5 INSTALLING DISTANCE: 82, INSTALLING BOLT: M16X1.5	SAILONG	3530010/020-X141
3	79.18.042.0	T16/16 R/LH SPRING BRAKE CHAMBER : PORT11,12=M16X1.5 INSTALLING DISTANCE: 82, INSTALLING BOLT: M12	HONGTA	T703530015
4	79.18.086.0	T30/30 D.D. SPRING BRAKE CHAMBER : PORT 11,12=M22X1.5 QUICK CONNECTION, INSTALLING DISTANCE: 120, INSTALLING BOLT: M16X1.5	AOWEI	3530015-362
5	79.18.115.0	T30/24 SPRING BRAKE CHAMBER : PORT 11, 12=M16X1.5 INSTALLING DISTANCE: 120.7, INSTALLING BOLT: M16X1.5	DAWEI	3530010/020-Q302
6	79.18.120.0	T24/24 SPRING BRAKE CHAMBER : PORT 11, 12=M16X1.5 INSTALLING DISTANCE: 110, INSTALLING BOLT: M14X1.5	DENWAY	3530010-392
7	79.18.128.0	T24/24 SPRING BRAKE CHAMBER : PORT 11, 12=M22X1.5 QUICK CONNECTION, INSTALLING DISTANCE: 120, INSTALLING BOLT: M16X1.5	AOWEI	3530010-B05
8	79.18.150.0	T30/30 SPRING BRAKE CHAMBER : PORT 11, 12=M18X1.5 INSTALLING DISTANCE: 120.7, INSTALLING BOLT: M16X1.5	DAWEI	3530030/040-D603U
9	79.18.174.0	T30/30 SPRING BRAKE CHAMBER : PORT 11, 12=M16X1.5 INSTALLING DISTANCE: 120.7, INSTALLING BOLT: M16X1.5	DAWEI	3530010/020-D604U
10	79.18.281.0	T30/24 SPRING BRAKE CHAMBER : PORT 11, 12= M22X1.5 QUICK CONNECTION, INSTALLING DISTANCE: 120, INSTALLING BOLT: M16X1.5	AOWEI	3530010A362
11	79.18.449.0	T30/24 SPRING BRAKE CHAMBER : PORT 11, 12=M22X1.5 QUICK CONNECTION, INSTALLING DISTANCE: 120, INSTALLING BOLT: M16X1.5	J6	3530010/015-AOE
12	79.18.573.0	T30/24 SPRING BRAKE CHAMBER : PORT 11, 12=M22X1.5 QUICK CONNECTION, INSTALLING DISTANCE: 120, INSTALLING BOLT: M16X1.5	J6	3530010-A362
13	79.19.003.0	T30/30 D.D. SPRING BRAKE CHAMBER : PORT 11,12=M22X1.5 QUICK CONNECTION, INSTALLING DISTANCE: 120, INSTALLING BOLT: M16X1.5	HANWEI	3530010A362
14	79.27.024.0	T27/24 SPRING BRAKE CHAMBER : PORT 11, 12=M22X1.5 QUICK CONNECTION, INSTALLING DISTANCE: 120, INSTALLING BOLT: M16X1.5	J6	3530015/020-490




1

View	Unit N°	Description	Makers	Makers'Unit N°
1	92.07.0824	LEVELLING VALVE : PORT 1, 2=Φ6.2 QUICK CONNECTION	DAWEI	5001320-Q824A

GEARBOX VALVES



1



2



3



4



5

View	Unit N°	Description	Makers	Makers'Unit N°
1	93.18.001.0	DIRECTIONAL CONTROL VALVE : NPT1/8	J6	F99660
2	93.18.001.7	DIRECTIONAL CONTROL VALVE : PORT 1, 2=NPT1/8	J6	
3	93.18.003.0	DIRECTIONAL CONTROL VALVE : NPT1/8, Φ10 QUICK CONNECTION	J6	1702310A10S
4	93.19.001.7	TRANSMISSION INHIB : PORT 1, 2=NPT1/8	J6	
5	94.02.474.0B	FILTER : PORT 1=NPT3/8, PORT 2=NPT1/8	J6	

CHECK VALVES



1

View	Unit N°	Description	Makers	Makers'Unit N°
1	52.18.004.0	SINGLE CHECK VALVE : PORT 1, 2=M16X1.5	AOWEI	3525010-A242

CONTROL CYLINDERS



1

View	Unit N°	Description	Makers	Makers'Unit N°
1	71.18.003.8	CONTROL CYLINDER - Φ40 : PORT SIZE: M10X1	DENWAY	

KAGER

Products



CHINESE CATALOGUE



FOTON

General Index

AIRBAGS	Page	19
AIR DRYERS	Page	19
BRAKE CHAMBERS	Page	22
CHARGING VALVES	Page	20
CLUTCH MASTER CYLINDERS	Page	23
CLUTCH SERVOS	Page	21
EXHAUST BRAKE VALVES	Page	20
FOOT BRAKE VALVES	Page	23
GOVERNOR	Page	23
HAND BRAKE VALVES	Page	23
PROTECTION VALVES	Page	21
QUICK RELEASE VALVES	Page	20
RELAY VALVES	Page	21
SPRING BRAKES	Page	22
TRAILER CONTROL VALVES	Page	20



View	Unit N°	Description	Makers	Makers'Unit N°
1	BT-52029	AIRBAG	AUMAN	
2	BT-52030	AIRBAG	AUMAN	


AIR DRYERS



View	Unit N°	Description	Makers	Makers'Unit N°
1	50.18.018.0	AIR DRYER : PORT 1, 21= M22 X 1.5 , PORT 22= M12 X 1.5	AUMAN	1417035600007
2	50.19.005.0	AIR DRYER : PORT 1= M22 X 1.5, PORT 21, 22, 23, 24= M16 X 1.5	AUMAN	1424135080153
3	50.20.005.0	AIR DRYER : PORT 1, 21= M22 X 1.5 (MULTI-FUNCTION)	AUMAN ETX / ROWOR	13118356X0024

Components of an Air Spring

1. STUD
2. COMBO STUD
3. BLIND NUT
4. AIR FITTING HOLE
5. BEAD PLATE
6. BELLOWS
7. BUMPER (OPTIONAL)
8. PISTON
9. PISTON BOLT
10. GIRDLE HOOP



CHARGING VALVES



View	Unit N°	Description	Makers	Makers'Unit N°
1	56.18.001.0	CHARGING VALVE : PORT 1, 2= M22 X 1.5	AUMAN ETX	1145935680001

EXHAUST BRAKE VALVES



View	Unit N°	Description	Makers	Makers'Unit N°
1	57.19.001.0	EXHAUST BRAKE VALVE - Ø100 : M10 X 1	AUMAN ETX	138135641002
2	57.19.002.0	EXHAUST BRAKE VALVE - Ø100 : M10 X 2	AUMAN ETX	1425135641001

QUICK RELEASE VALVES



View	Unit N°	Description	Makers	Makers'Unit N°
1	64.18.012.0	QUICK RELEASE VALVE : PORT 1= M18X1.5, PORT 2, 3= NPT3/8.	AUMAN ETX	1417135614002

TRAILER CONTROL VALVES



View	Unit N°	Description	Makers	Makers'Unit N°
1	43.18.001.0	TRAILER CONTROL VALVE : PORT 11, 12, 22, 41, 42= M22 X 1.5 PORT 43= M16 X 1.5 (QUICK CONNECTION)	AUMAN ETX	1424135680160




View	Unit N°	Description	Makers	Makers'Unit N°
1	46.18.004.0	RELAY VALVE : PORT 1, 21,22,23= M22 X 1.5 PORT 4= M16 X 1.5	AUMAN	1325135680060
2	46.18.013.0	RELAY VALVE : PORT 1, 2, 41, 42= M22 X 1.5	AUMAN	1417335628002
3	46.19.001.0	RELAY VALVE : PORT 1, 2,4= M22 X 1.5	AUMAN ETX	14170035600091

PROTECTION VALVES




View	Unit N°	Description	Makers	Makers'Unit
1	54.18.001.0	FOUR CIRCUIT PROTECTION VALVE : PORT 1=M22X1.5, PORT 21, 22, 23, 24=M16X1.5	AUMAN ETX	1417035800053
2	54.18.006.0	FOUR CIRCUIT PROTECTION VALVE : Port 21,22,23,24=M16X1.5, Installation2-M8-58	AUMAN ETX	
3	54.21.001.0	FOUR CIRCUIT PROTECTION VALVE : Port 1= M22x1.5, Port 21, 22, 23, 24=M16x1.5	AUMAN ETX	1115035600036

CLUTCH SERVOS



View	Unit N°	Description	Makers	Makers'Unit N°
1	91.18.005.0	CLUTCH SERVO - Ø105 : PORT 1= M16 X 1.5, PORT 4= M14 X 1.5	AUMAN ETX	13116162X0017
2	91.18.012.0	CLUTCH SERVO - Ø102 : PORT 1= M16 X 1.5, PORT 4= M12 X 1.5	AUMAN ETX	3137DCPEA_1602
3	91.18.023.0	CLUTCH SERVO - Ø102 : PORT 1= M16 X 1.5, PORT 4= M14 X 1.5	AUMAN	1131716200002
4	91.18.061.0	CLUTCH SERVO - Ø102 : PORT 1= M16 X 1.5, PORT 4= M14 X 1.5	AUMAN	1325816280003
5	91.18.085.0	CLUTCH SERVO - Ø90 : PORT 1= M16 X 1.5, PORT 4= M14 X 1.5	AUMAN	1417116200303
6	91.21.001.0	CLUTCH SERVO - Ø100 : PORT 1= M16 X 1.5, PORT 4= M14X1.5	AUMAN	1541116200003



View	Unit N°	Description	Makers	Makers'Unit N°
1	74.18.009.0	T24 BRAKE CHAMBER RH/LH : PORT M22X1.5, INSTALLING DISTANCE: 120.7, INSTALLING BOLT: M16X1.5	AUMAN ETX	1417030000003
2	74.18.0170	T20 BRAKE CHAMBER RH/LH : - PORT NPT1/4, INSTALLING DISTANCE: 82, INSTALLING BOLT: M12X1.5	AUMAN ETX	

SPRING BRAKES



View	Unit N°	Description	Makers	Makers'Unit
1	79.18.018.0	T24/24 SPRING BRAKE CHAMBER : PORT 1, 2=M16X1.5, INSTALLING DISTANCE: 120.7, INSTALLING BOLT: M16X1.5	AUMAN ETX	1417024000002
2	79.19.044.0	30/30 SPRING BRAKE CHAMBER : PORT 1, 2=M16X1.5, INSTALLING DISTANCE: 110, INSTALLING BOLT: M16X1.5	AUMAN	1122924080002

FULL RANGE OF AIRBAGS FOR TRUCKS AVAILABLE

• **BUSTECH** •
AirBags

DISTRIBUTED BY:

KAGER
Products





View	Unit N°	Description	Makers	Makers'Unit N°
1	19.18.002.2	CLUTCH MASTER CYLINDER : OIL OUTLET PORT = M14 X 1.5	AUMAN ETX	1432116380003

FOOT BRAKE VALVES



View	Unit N°	Description	Makers	Makers'Unit N°
1	41.18.042.0	FOOT BRAKE VALVE : PORT 11, 12, 21, 22= M16 X 1.5, PORT 11,12= M12 X 1.5	AUMAN ETX	1417035500003

HAND BRAKE VALVES



View	Unit N°	Description	Makers	Makers'Unit N°
1	42.18.001.0	HAND BRAKE VALVE : PORT 1, 2= M16 X 1.5	AUMAN	1315035300005

GOVERNOR



View	Unit N°	Description	Makers	Makers'Unit N°
1	57.18.002.0	GOVERNOR : PORT 1, 2 =M16X1.5	AUMAN ETX XIONGSHI	1145935680004

KAGER

Products

CHINESE CATALOGUE



POWERSTAR

General Index

AIR DRYERS	Page	25
BRAKE CHAMBERS	Page	25
CHECK VALVES	Page	27
CLUTCH MASTER CYLINDERS	Page	25
CLUTCH SERVOS	Page	26
DIFF LOCK SWITCH	Page	28
EXHAUST BRAKE VALVES	Page	27
FOOT BRAKE VALVES	Page	28
HAND BRAKE VALVES	Page	26
PROTECTION VALVES	Page	28
RELAY VALVES	Page	27
SPRING BRAKES	Page	26
TRAILER CONTROL VALVES	Page	27



View	Unit N°	Description	Makers	Makers'Unit
1	50.18.004.0	AIR DRYER : PORT1, 21= M22 X 1.5, PORT 22= M12X1.5	POWERSTAR	
2	50.18.117.0	AIR DRYER : PORT1= M22 X 1.5, PORT 21, 22, 23, 24= Ø15 (QUICK CONNECTION)	POWERSTAR	932 431 0115

BRAKE CHAMBERS


View	Unit N°	Description	Makers	Makers'Unit N°
1	74.18.107.0	T24 BRAKE CHAMBER R/LH : PORT= NPT3/8 INSTALLING DISTANCE: 120.7, INSTALLING BOLT: M16X1.5	POWERSTAR	5504200018
2	74.18.126.0	T24 BRAKE CHAMBER R/LH : PORT= NPT3/8 INSTALLING DISTANCE: 120.7, INSTALLING BOLT: M16X1.5	POWERSTAR	5354200118

CLUTCH MASTER CYLINDERS


View	Unit N°	Description	Makers	Makers'Unit N°
1	19.18.002.0	CLUTCH MASTER CYLINDER - Ø25.4 OIL OUTLET PORT M14X1	POWERSTAR	51829500108
2	19.18.013.0	CLUTCH MASTER CYLINDER - Ø23.81 OIL OUTLET PORT M14X1, PORT OIL INLET Ø12.5	POWERSTAR	
3	19.19.001.0	CLUTCH MASTER CYLINDER - Ø38.1 OIL INLET PORT M14X1	POWERSTAR	



1



2




3

View	Unit N°	Description	Makers	Makers'Unit N°
1	91.18.007.0	CLUTCH SERVO - $\Phi 102$: PORT1, 4= M14 X 1.5	POWERSTAR	
2	91.20.003.0	CLUTCH SERVO - $\Phi 102$: PORT11, 14= M14 X 1.5	POWERSTAR	5062941007
3	91.35.040.7	CLUTCH SERVO - $\Phi 102$: PORT1, 4= M14 X 1.5	POWERSTAR	5062950407

HAND BRAKE VALVES



1



2



3



4

View	Unit N°	Description	Makers	Makers'Unit N°
1	42.18.002.0	HAND BRAKE VALVE : PORT 11, 21= M14X1.5	POWERSTAR	0014305681
2	42.18.004.0	HAND BRAKE VALVE : PORT 1, 21= M14X1.5	POWERSTAR	5004305681
3	42.18.007.0	HAND BRAKE VALVE : PORT 11, 21, 22= M14X1.5	POWERSTAR	0014306081
4	42.18.045.0	HAND BRAKE VALVE : PORT 1, 21, 22= $\Phi 10$ (QUICK CONNECTION)	POWERSTAR	5184203681

SPRING BRAKES



1



2

View	Unit N°	Description	Makers	Makers'Unit N°
1	79.18.186.0	T30/30 SPRING BRAKE : PORT11, 12=M16X1.5, INSTALLING DISTANCE: 120.7 INSTALLING BOLT: M16X1.5	POWERSTAR	5454200018
2	79.18.913.0	T30/24 SPRING BRAKE : PORT 11, 12= $\Phi 15$, INSTALLING DISTANCE: 120.7 INSTALLING BOLT: M16X1.5 (QUICK CONNECTION)	POWERSTAR	5204200518


1

View	Unit N°	Description	Makers	Makers'Unit N°
1	57.18.001.0	SINGLE CHECK VALVE : PORT 21, 22= M16 X 1.5 PORT 23= M14 X 1.5, PORT 24= M12 X 1.5 PORT 11=M22X1.5	POWERSTAR	0024299644

EXHAUST BRAKE VALVES

1

View	Unit N°	Description	Makers	Makers'Unit N°
1	57.22.013.0	EXHAUST BRAKE VALVE: PORT1, 2= M12 X 1.5,	POWERSTAR	0004342301

RELAY VALVES

1

View	Unit N°	Description	Makers	Makers'Unit N°
1	46.20.001.0	RELAY VALVE : PORT 1= M22 X 1.5, PORT 2,4= M16 X 1.5	POWERSTAR	

TRAILER CONTROL VALVES


1

View	Unit N°	Description	Makers	Makers'Unit N°
1	43.18.014.0	TRAILER CONTROL VALVE : PORT 11,12,22,41,42,43= M16 X	POWERSTAR	0014316905



View	Unit N°	Description	Makers	Makers'Unit N°
1	93.06.111.1B	DIFF LOCK SWITCH : <i>PORT 1, 2= M10 X 1</i>	POWERSTAR	0019976136

FOOT BRAKE VALVES



View	Unit N°	Description	Makers	Makers'Unit N°
1	41.18.0290	FOOT BRAKE VALVE : <i>PORT 11,12,21,22 =M16X1.5</i>	POWERSTAR	0014218305
2	41.19.004.0	FOOT BRAKE VALVE : <i>PORT11, 12, 21, 22=Ø15 (QUICK CONNECTION)</i>	POWERSTAR	5184318305

PROTECTION VALVES



View	Unit N°	Description	Makers	Makers'Unit N°
1	54.18.005.0	FOUR CIRCUIT PROTECTION VALVE : <i>PORT 1=M22 X 1.5 PORT 21, 22, 23, 24= M16 X 1.5</i>	POWERSTAR	0024314006
2	54.40.210.0	FOUR CIRCUIT PROTECTION VALVE : <i>PORT 1= M22 X 1.5 PORT 11, 12= M16 X 1.5, PORT 21, 22, 23, 24= M16 X 1.5</i>	POWERSTAR	9347022100

KAGER

Products

CHINESE CATALOGUE



General Index

AIR DRYERS	Page	31
AUTOMATIC SLACK ADJUSTERS	Page	31
CLUTCH SERVOS	Page	32
FOOT BRAKE VALVES	Page	32
PROTECTION VALVES	Page	31
RELAY VALVES	Page	30
SPRING BRAKES	Page	30



View	Unit N°	Description	Makers	Makers'Unit N°
1	46.10.2626	R-12 RELAY VALVE : PORTS: SUP=1/2"PT, DEL=1/2"PT CON=1/4"PT, CRACK PRESSURE: 4.0 PSI	TATA	102626

SPRING BRAKES



View	Unit N°	Description	Makers	Makers'Unit N°
1	79.24.35.30B	T24/24 SPRING BRAKE : STROKE: 57/51MM PORT THREAD: M14X1.5 - M16X1.5, PUSH ROD LENGTH: 76MM PORT/CLAMP ANGLE: 0° / 45°	TATA	M250780

Euro Fittings CATALOGUE





View	Unit N°	Description	Makers	Makers'Unit N°
1	50.30.351.0	AIR DRYER: CUT-OFF PRESSURE: 7.4 BAR PORTS: 1+2-1= M22X1.5, 22=M18X1.5	TATA HCV	M303510
2	50.30.494.1	AIR DRYER: CUT-OFF PRESSURE: 8.0 BAR ALL PORTS: M22X1.5, INSTALLATION HOLE : 2XM12X1.5-6H CUT-OFF PRESSURE: (830 +/- 20)KPA	UNIVERSAL	M304941
3	50.30.520.1	AIR DRYER: CUT-OFF PRESSURE: 8.0 BAR PORT: 1=M22X1.5, PORTS:21,22,23,24=M16X1.5 INSTALLATION PLATE HOLE: M12X1.5 PROTECTION OPENING PRESSURE: 21,22=0BAR, 23,24=6.3 BAR	UNIVERSAL	M305201
4	50.30.587.0	AIR DRYER: PORT 1: M26X1.5-6H, PORT 2-1: ϕ 15, PORT 22: ϕ 15 INSTALLATION HOLE: 3XM12X1.5-6H, CUT-OFF PRESSURE: (810 + 20) KPA	TATA HCV	M305870

AUTOMATIC SLACK ADJUSTERS


View	Unit N°	Description	Makers	Makers'Unit N°
1	30.12.72858.	AUTOMATIC SLACK ADJUSTER : SPLINE TEETH: 25, BUSH DIA: ϕ 16	TATA	72858
2	30.12.80072.	AUTOMATIC SLACK ADJUSTER : SPLINE TEETH: 24, BUSH DIA: ϕ 12.7	TATA	80072
3	30.12.80075.	AUTOMATIC SLACK ADJUSTER : SPLINE TEETH: 24, BUSH DIA: ϕ 12.7	TATA	80075

PROTECTION VALVES


View	Unit N°	Description	Makers	Makers'Unit N°
1	54.40.124.2B	FOUR CIRCUIT PROTECTION VALVE : INLET PORT1: M22 X1.5-VOSS OUTLET PORTS 21,22,23,24: M22 X1.5-VOSS OPENN.PRESSURE 23: 5.9 BAR, OPENN. PRESSURE 24: 6.1 BAR	TATA, NOVUS 5542	K001242



1



2



3



4


View	Unit N°	Description	Makers	Makers' Unit N°
1	41.M600.90	FOOT BRAKE VALVE : PORTS 11,12: M12X1.5, ϕ 10, ϕ 15 PORTS 21,22: ϕ 15	INDIA TRUCK	M600900
2	41.M600.92	FOOT BRAKE VALVE : PORTS 11,12: M12X1.5, ϕ 10, ϕ 15 PORTS 21,22: M14X1.5, ϕ 15 , PRED: 0.1BAR	INDIA TRUCK	M600920
3	41.M600.96	FOOT BRAKE VALVE : PORT 11,12: M12X1.5, M16X1.5 PORT 21,22: M14X1.5, M16X1.5 , PRED: 0.3BAR	INDIA TRUCK	M600960
4	41.M601.01	FOOT BRAKE VALVE : PORTS 11,12: M12X1.5,M16X1.5 PORTS 21,22: M14X1.5,M16X1.5 , PRED: 0.1BAR	INDIA TRUCK	M601010


CLUTCH SERVOS



1

View	Unit N°	Description	Makers	Makers' Unit N°
1	91.264.0112	CLUTCH SERVO : DIA: 90MM , AIR: M14X1.5 , HYD: M12X1 WITHOUT PUSH-ROD FORK	TATA	264129200112





A.B.S. PARTS & ACCESSORIES



AIR BRAKE FITTINGS & ACCESSORIES



AMERICAN & JAPANESE



QUICK REFERENCE




AIR BAGS QUICK REFERENCE



COMPRESSORS

YOU GET WHAT YOU PAY FOR.....

The Best Quality with the right price.



Distributors of :

